

售 樓 説 明 書 Sales Brochure



一手住宅物業買家須知

You are advised to take the following steps before purchasing first-hand residential properties.

For all first-hand residential properties

1. Important information

- Make reference to the materials available on the Sales of Firsthand Residential Properties Electronic Platform (SRPE) (www. srpe.gov.hk) on the first-hand residential property market.
- Study the information on the website designated by the vendor for the development, including the sales brochure, price lists, documents containing the sales arrangements, and the register of transactions of a development.
- Sales brochure for a development will be made available to the general public at least 7 days immediately before a date of sale while price list and sales arrangements will be made available at least 3 days immediately before the date of sale.
- Information on transactions can be found on the register of transactions on the website designated by the vendor for the development and the SRPE.

2. Fees, mortgage loan and property price

- Calculate the total expenses of the purchase, such as solicitors' fees, mortgage charges, insurance fees and stamp duties.
- Check with banks to find out if you will be able to obtain the needed mortgage loan, select the appropriate payment method and calculate the amount of the mortgage loan to ensure it is within your repayment ability.
- Check recent transaction prices of comparable properties for comparison.
- Check with the vendor or the estate agent the estimated management fee, the amount of management fee payable in advance (if any), special fund payable (if any), the amount of reimbursement of the deposits for water, electricity and gas (if any), and/or the amount of debris removal fee (if any) you have to pay to the vendor or the manager of the development.

3. Price list, payment terms and other financial incentives

- Vendors may not offer to sell all the residential properties that are covered in a price list. To know which residential properties the vendors may offer to sell, pay attention to the sales arrangements which will be announced by the vendors at least 3 days before the relevant residential properties are offered to be sold.
- Pay attention to the terms of payment as set out in a price list. If there are discounts on the price, gift, or any financial advantage or benefit to be made available in connection with the purchase of the residential properties, such information will also be set out in the price list.
- If you intend to opt for any mortgage loan plans offered by financial institutions specified by the vendor, before entering into a preliminary agreement for sale and purchase (PASP), you must study the details of various mortgage loan plans¹ as set out in the price list concerned. If you have any questions about these mortgage loan plans, you should check with the financial institutions concerned direct before entering into a

4. Property area and its surroundings

Pay attention to the area information in the sales brochure and price list, and price per square foot/metre in the price list.

The details of various mortgage loan plans include the requirements for mortgagors on minimum income level, the loan limit under the first mortgage and second mortgage, the maximum loan repayment period, the change of mortgage interest rate throughout the entire repayment period, and the payment of administrative According to the Residential Properties (First-hand Sales) Ordinance (Cap. 621) (the Ordinance), vendors can only present the area and price per square foot and per square metre of a residential property using saleable area. Saleable area, in relation to a residential property, means the floor area of the residential property, and includes the floor area of every one of the following to the extent that it forms part of the residential property - (i) a balcony; (ii) a utility platform; and (iii) a verandah. The saleable area excludes the area of the following which forms part of the residential property - air-conditioning plant room; bay window; cockloft; flat roof; garden; parking space; roof; stairhood; terrace and yard.

- Floor plans of all residential properties in the development have to be shown in the sales brochure. In a sales brochure, floor plans of residential properties in the development must state the external and internal dimensions of each residential property². The external and internal dimensions of residential properties as provided in the sales brochure exclude plaster and finishes. You are advised to note this if you want to buy furniture before handing over of the residential property.
- Visit the development site and get to know the surroundings of the property (including transportation and community facilities). Check town planning proposals and decisions which may affect the property. Take a look at the location plan, aerial photograph, outline zoning plan and cross-section plan that are provided in the sales brochure.

5. Sales brochure

- Ensure that the sales brochure obtained is the latest version. According to the Ordinance, the sales brochure made available to the public should be printed or examined, or examined and revised within the previous 3 months.
- In respect of an uncompleted development, the vendor may alter the building plans (if any) whenever the vendor considers necessary. To know the latest information of an uncompleted development, keep paying attention to any revised sales brochures made available by the vendor.
- Read through the sales brochure and in particular, check the following information in the sales brochure
 - whether there is a section on "relevant information" in the sales brochure, under which information on any matter that is known to the vendor but is not known to the general public, and is likely to materially affect the enjoyment of a residential property will be set out. Please note that information contained in a document that has been registered with the Land Registry will not be regarded as "relevant information";
 - the cross-section plan showing a cross-section of the building in relation to every street adjacent to the building, and the level of every such street in relation to a known datum and to the level of the lowest residential floor of the building. This will help you visualize the difference in height between the lowest residential floor of a building and the street level, regardless of how that lowest residential floor is named;
 - interior and exterior fittings and finishes and appliances;

 - whether individual owners have obligations or need to share the expenses for managing, operating and maintaining the public open space or public facilities inside or outside the development, and the location of the public open space or public facilities; and
 - whether individual owners have responsibility to maintain slopes.

According to section 10(3) in Part 1 of Schedule 1 to the Ordinance, if any information required by section 10(2)(d) in Part 1 of Schedule 1 to the Ordinance is provided in the approved building plans for the development, a floor plan must state the information as so provided.

According to section 10(2)(d) in Part 1 of Schedule 1 to the Ordinance, each of the floor plans of the residential properties in the development in the sales brochure must state the following-

⁽i) the external dimensions of each residential property; (ii) the internal dimensions of each residential property;
 (iii) the thickness of the internal partitions of each residential property;

⁽iv) the external dimensions of individual compartments in each residential

一手住宅物業買家須知

6. Government land grant and deed of mutual covenant (DMC)

- Read the Government land grant and the DMC (or the draft DMC). Information such as ownership of the rooftop and external walls can be found in the DMC. The vendor will provide copies of the Government land grant and the DMC (or the draft DMC) at the place where the sale is to take place for free inspection by prospective purchasers.
- Check the Government land grant on whether individual owners are liable to pay Government rent.
- Check the DMC on whether animals can be kept in the residential property.

7. Information on Availability of Residential Properties for Selection at Sales Office

- Check with the vendor which residential properties are available for selection. If a "consumption table" is displayed by the vendor at the sales office, you may check from the table information on the progress of sale on a date of sale, including which residential properties are offered for sale at the beginning of that date of sale and which of them have been selected and sold during that date of sale.
- Do not believe in rumours about the sales condition of the development and enter into a PASP rashly.

8. Register of Transactions

- Pay attention to the register of transactions for a development. A vendor must, within 24 hours after entering into a PASP with a purchaser, enter transaction information of the PASP in the register of transactions. The vendor must, within 1 working day after entering into an agreement for sale and purchase (ASP), enter transaction information of the ASP in the register of transactions. Check the register of transactions for the concerned development to learn more about the sales condition of the development.
- Never take the number of registrations of intent or cashier orders a vendor has received for the purpose of registration as an indicator of the sales volume of a development. The register of transactions for a development is the most reliable source of information from which members of the public can grasp the daily sales condition of the development.

9. Agreement for sale and purchase

- Ensure that the PASP and ASP include the mandatory provisions as required by the Ordinance.
- Pay attention that fittings, finishes and appliances to be included in the sale and purchase of the property are inserted in the PASP and ASP.
- Pay attention to the area plan annexed to the ASP which shows the total area which the vendor is selling to you. The total area which the vendor is selling to you is normally greater than the saleable area of the property.
- Pay attention to the vendor's right to alter the building plans (if any) for an uncompleted development. The mandatory provisions to be incorporated in an ASP for uncompleted development as required by the Ordinance include a provision requiring the vendor to notify the purchaser in writing of such alteration if the same affects in any way the property within 14 days after its having been approved by the Building Authority.
- A preliminary deposit of 5% of the purchase price is payable by you to the owner (i.e. the seller) on entering into a PASP.
- If you do not execute the ASP within **5 working days** (working day means a day that is not a general holiday or a Saturday or a black rainstorm warning day or gale warning day) after entering into the PASP, the PASP is terminated, the preliminary deposit (i.e. 5% of the purchase price) is forfeited, and the owner (i.e. the seller) does not have any further claim against you for not executing the ASP.
- If you execute the ASP within 5 working days after the signing of the PASP, the owner (i.e. the seller) must execute the ASP within 8 working days after entering into the PASP.

• The deposit should be made payable to the solicitors' firm responsible for stakeholding purchasers' payments for the property.

10. Expression of intent of purchasing a residential property

- Note that vendors (including their authorized representative(s)) should not seek or accept any specific or general expression of intent of purchasing any residential property before the relevant price lists for such properties are made available to the public. You therefore should not make such an offer to the vendors or their authorized representative(s).
- Note that vendors (including their authorized representative(s)) should not seek or accept any specific expression of intent of purchasing a particular residential property before the sale of the property has commenced. You therefore should not make such an offer to the vendors or their authorized representative(s).

11. Appointment of estate agent

- Note that if the vendor has appointed one or more than one estate agents to act in the sale of any specified residential property in the development, the price list for the development must set out the name of all the estate agents so appointed as at the date of printing of the price list.
- You may appoint any estate agent (not necessarily from those estate agency companies appointed by the vendor) to act in the purchase of any specified residential property in the development, and may also not appoint any estate agent to act on your behalf.
- Before you appoint an estate agent to look for a property, you should
 - find out whether the agent will act on your behalf only. If the agent also acts for the vendor, he/she may not be able to protect your best interests in the event of a conflict of interest;
 - find out whether any commission is payable by you to the estate agent and, if so, its amount and the time of payment; and
 - note that only licensed estate agents or salespersons may accept your appointment. If in doubt, you should request the estate agent or salesperson to produce his/her Estate Agent Card, or check the Licence List on the Estate Agents Authority website: www.eaa.org.hk.

12. Appointment of solicitor

- Consider appointing your own solicitor to protect your interests. If the solicitor also acts for the vendor, he/she may not be able to protect your best interests in the event of a conflict of interest.
- Compare the charges of different solicitors.

For first-hand uncompleted residential properties

13. Pre-sale Consent

• For uncompleted residential property under the Lands Department Consent Scheme, seek confirmation from the vendor whether the "Pre-sale Consent" has been issued by the Lands Department for the development.

14. Show flats

• While the vendor is not required to make any show flat available for viewing by prospective purchasers or the general public, if the vendor wishes to make available show flats of a specified residential property, the vendor must first of all make available an unmodified show flat of that residential property and that, having made available such unmodified show flat, the vendor may then make available a modified show flat of that residential property. In this connection, the vendor is allowed to make available more than one modified show flat of that residential property.

一手住宅物業買家須知

- If you visit the show flats, you should always look at the unmodified show flats for comparison with the modified show flats. That said, the Ordinance does not restrict the discretion of the vendor in arranging the sequence of the viewing of unmodified and modified show flats.
- Sales brochure of the development should have been made available to the public when the show flat is made available for viewing. You are advised to get a copy of the sales brochure and make reference to it when viewing the show flats.
- You may take measurements in modified and unmodified show flats, and take photographs or make video recordings of unmodified show flats, subject to reasonable restriction(s) which may be set by the vendor for ensuring safety of the persons viewing the show flat.

For first-hand uncompleted residential properties and completed residential properties pending compliance

15. Estimated material date and handing over date

- Check the estimated material date³ for the development in the sales brochure.
 - The estimated material date for a development in the sales brochure is not the same as the date on which a residential property is handed over to purchaser. The latter is normally later than the former. However, the handing over date may be earlier than the estimated material date set out in the sales brochure in case of earlier completion of the development.
- Handing over date
 - The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision requiring the vendor to apply in writing for an Occupation Document/a Certificate of Compliance or the Director of Lands' Consent to Assign (as the case may be) in respect of the development within 14 days after the estimated material date as stipulated in the ASP.
 - For development subject to the Lands Department Consent Scheme, the vendor is required to notify the purchaser in writing that the vendor is in a position validly to assign the property within one month after the issue of the Certificate of Compliance or the Consent to Assign, whichever first happens; or
 - For development not subject to the Lands Department Consent Scheme, the vendor is required to notify the purchaser in writing that the vendor is in a position validly to assign the property within 6 months after the issue of the Occupation Document including Occupation Permit.
 - The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision requiring completion of the sale and purchase within 14 days after the date of the notification aforesaid. Upon completion, the vendor shall arrange handover of the property to the purchaser.
- Authorized Person (AP) may grant extension(s) of time for completion of the development beyond the estimated material date.
 - The mandatory provisions to be incorporated in an ASP as required by the Ordinance include a provision that the AP of a development may grant an extension of time for completion of the development beyond the estimated material date having regard to delays caused exclusively by any one or more of the following reasons:
 - > strike or lock-out of workmen;
 - riots or civil commotion;
- Generally speaking, "material date" means the date on which the conditions of the land grant are complied with in respect of the development, or the date on which the development is completed in all respects in compliance with the approved building plans or the conditions subject to which the certificate of exemption is issued. For details, please refer to section 2 of the Ordinance.

- force majeure or Act of God;
- ➤ fire or other accident beyond the vendor's control;
- war; or
- inclement weather.
- The AP may grant more than once such an extension of time depending on the circumstances. That means handover of the property may be delayed.
- The mandatory provisions to be incorporated in an ASP as required by the Ordinance also include a provision requiring the vendor to, within 14 days after the issue of an extension of time granted by the AP, furnish the purchaser with a copy of the relevant certificate of extension.
- Ask the vendor if there are any questions on handing over date.

For first-hand completed residential properties

16. Vendor's information form

• Ensure that you obtain the "vendor's information form(s)" printed within the previous 3 months in relation to the residential property/properties you intend to purchase.

17. Viewing of property

- Ensure that, before you purchase a residential property, you are arranged to view the residential property that you would like to purchase or, if it is not reasonably practicable to view the property in question, a comparable property in the development, unless you agree in writing that the vendor is not required to arrange such a comparable property for viewing for you. You are advised to think carefully before signing any waiver.
- You may take measurements, take photographs or make video recordings of the property, unless the property is held under a tenancy or reasonable restriction(s) is/are needed to ensure safety of the persons viewing the property.

For complaints and enquiries relating to the sales of first-hand residential properties by the vendors which the Ordinance applies, please contact the Sales of First-hand Residential Properties Authority -

Website : www.srpa.gov.hk

Telephone : 2817 3313

Email : enquiry_srpa@hd.gov.hk

Fax : 2219 2220

Other useful contacts:

Consumer Council

Website : www.consumer.org.hk

Telephone : 2929 2222

Email : cc@consumer.org.hk

Fax : 2856 3611

Estate Agents Authority

Telephone : 2111 2777

Website : www.eaa.org.hk

Email : enquiry@eaa.org.hk

Fax : 2598 9596

Real Estate Developers Association of Hong Kong

Telephone : 2826 0111 Fax : 2845 2521

Sales of First-hand Residential Properties Authority Transport and Housing Bureau July 2021

一手住宅物業買家須知

您在購置一手住宅物業之前,應留意下列事項:

適用於所有一手住宅物業

1. 重要資訊

- 瀏覽一手住宅物業銷售資訊網 (下稱「銷售資訊網」) (網址:www.srpe.gov.hk) ,參考「銷售資訊網」內有關 一手住宅物業的市場資料。
- 閱覽賣方就該發展項目所指定的互聯網網站內的有關資 訊,包括售樓説明書、價單、載有銷售安排的文件,及 成交紀錄冊。
- 發展項目的售樓説明書,會在該項目的出售日期前最少 七日向公眾發布,而有關價單和銷售安排,亦會在該項 目的出售日期前最少三日公布。
- 在賣方就有關發展項目所指定的互聯網網站,以及「銷 售資訊網」內,均載有有關物業成交資料的成交紀錄 冊,以供查閱。

2. 費用、按揭貸款和樓價

- 計算置業總開支,包括律師費、按揭費用、保險費,以 及印花税。
- 向銀行查詢可否取得所需的按揭貸款,然後選擇合適的 還款方式,並小心計算按揭貸款金額,以確保貸款額沒 有超出本身的負擔能力。
- 查閱同類物業最近的成交價格,以作比較。
- 向賣方或地產代理瞭解,您須付予賣方或該發展項目的 管理人的預計的管理費、管理費上期金額(如有)、特 別基金金額(如有)、補還的水、電力及氣體按金(如 有) ,以及/或清理廢料的費用(如有)。

3. 價單、支付條款,以及其他財務優惠

- 賣方未必會把價單所涵蓋的住宅物業悉數推售,因此應 留意有關的銷售安排,以了解賣方會推售的住宅物業為 何。賣方會在有關住宅物業推售日期前最少三日公布銷 售安排。
- 留意價單所載列的支付條款。倘買家可就購置有關住宅 物業而連帶獲得價格折扣、贈品,或任何財務優惠或利 益,上述資訊亦會在價單內列明。
- 如您擬選用由賣方指定的財務機構提供的各類按揭貸款 計劃,在簽訂臨時買賣合約前,應先細閱有關價單內列 出的按揭貸款計劃資料」。如就該些按揭貸款計劃的詳情 有任何疑問,應在簽訂臨時買賣合約前,直接向有關財 務機構查詢。

4. 物業的面積及四周環境

留意載於售樓説明書和價單內的物業面積資料,以及載 於價單內的每平方呎/每平方米售價。根據《一手住宅 物業銷售條例》(第621章)(下稱「條例」),賣方 只可以實用面積表達住宅物業的面積和每平方呎及平方

按揭貸款計劃的資料包括有關按揭貸款計劃對借款人的最低收入的要求,就 第一按揭連同第二按揭可獲得的按揭貸款金額上限,最長還款年期,整個還 款期內的按揭利率變化,以及申請人須繳付的手續費。

米的售價。就住宅物業而言,實用面積指該住宅物業的 樓面面積,包括在構成該物業的一部分的範圍內的以下 每一項目的樓面面積: (i) 露台; (ii) 工作平台;以 及(iii)陽台。實用面積並不包括空調機房、窗台、閣 樓、平台、花園、停車位、天台、梯屋、前庭及庭院的 每一項目的面積,即使該些項目構成該物業的一部分的 節圍。

- 售樓説明書必須顯示發展項目中所有住宅物業的樓面平 面圖。在售樓説明書所載有關發展項目中住宅物業的每 一份樓面平面圖,均須述明每個住宅物業的外部和內部 尺寸2。售樓說明書所提供有關住宅物業外部和內部的尺 寸,不會把批盪和裝飾物料包括在內。買家收樓前如欲 購置家具,應留意這點。
- 親臨發展項目的所在地實地視察,以了解有關物業的四 周環境(包括交通和社區設施);亦應查詢有否任何城 市規劃方案和議決,會對有關的物業造成影響;參閱載 於售樓説明書內的位置圖、鳥瞰照片、分區計劃大綱 圖,以及橫截面圖。

5. 售樓説明書

- 確保所取得的售樓説明書屬最新版本。根據條例,提供 予公眾的售樓説明書必須是在之前的三個月之內印製或 檢視、或檢視及修改。
- 如屬未落成發展項目,賣方在認為有需要時可改動建築圖 則(如有的話),因此應留意由賣方提供的任何經修改的 售樓說明書,以了解有關未落成發展項目的最新資料。
- 閲覽售樓説明書,並須特別留意以下資訊:
 - 售樓説明書內有否關於「有關資料」的部分,列出 賣方知悉但並非為一般公眾人士所知悉,關於相當 可能對享用有關住宅物業造成重大影響的事宜的資 料。請注意,已在土地註冊處註冊的文件,其內容 不會被視為「有關資料」;
 - 横截面圖會顯示有關建築物相對毗連該建築物的每 條街道的橫截面,以及每條上述街道與已知基準面 和該建築物最低的一層住宅樓層的水平相對的水 平。橫截面圖能以圖解形式,顯示出建築物最低一 層住宅樓層和街道水平的高低差距,不論該最低住 宅樓層以何種方式命名;
 - 室內和外部的裝置、裝修物料和設備;
 - 管理費按其麼基準分擔;
 - 小業主有否責任或需要分擔管理、營運或維持有關 發展項目以內或以外的公眾休憩用地或公共設施的 開支,以及有關公眾休憩用地或公共設施的位置; 以及
 - 小業主是否須要負責維修斜坡。

6. 政府批地文件和公契

閲覽政府批地文件和公契(或公契擬稿)。公契內載有 天台和外牆業權等相關資料。賣方會在售樓處提供政府 批地文件和公契(或公契擬稿)的複本,供準買家免費 閲覽。

根據條例附表1第1部第10(2)(d)條述明,售樓說明書內顯示的發展項目中的住宅物業的每一份樓面平面圖須述明以下各項— (i) 每個任宅物業的外部尺寸;

⁽ii) 每個住宅物業的內部尺寸;

⁽iii) 每個住宅物業的內部間隔的厚度;

⁽iv) 每個住宅物業內個別分隔室的外部尺寸。 根據條例附表1第1部第10(3)條,如有關發展項目的經批准的建築圖則,提供 條例附表1第1部第10(2)(d)條所規定的資料,樓面平面圖須述明如此規定的該

一手住宅物業買家須知

- 留意政府批地文件內所訂明小業主是否須要負責支付地税。
- 留意公契內訂明有關物業內可否飼養動物。

7. 售樓處內有關可供揀選住宅物業的資料

- 向賣方查詢清楚有哪些一手住宅物業可供揀選。若賣方在售樓處內展示「消耗表」,您可從該「消耗表」得悉在每個銷售日的銷售進度資料,包括在該個銷售日開始時有哪些住宅物業可供出售,以及在該個銷售日內有哪些住宅物業已獲揀選及售出。
- 切勿隨便相信有關發展項目銷情的傳言,倉卒簽立臨時 買賣合約。

8. 成交紀錄冊

- 留意發展項目的成交紀錄冊。賣方須於臨時買賣合約訂立後的24小時內,於紀錄冊披露該臨時買賣合約的資料,以及於買賣合約訂立後一個工作天內,披露該買賣合約的資料。您可透過成交紀錄冊得悉發展項目的銷售情況。
- 切勿將賣方接獲用作登記的購樓意向書或本票的數目視 為銷情指標。發展項目的成交紀錄冊才是讓公眾掌握發 展項目每日銷售情況的最可靠資料來源。

9. 買賣合約

- 確保臨時買賣合約和買賣合約包含條例所規定的強制性 條文。
- 留意有關物業買賣交易所包括的裝置、裝修物料和設備,須在臨時買賣合約和買賣合約上列明。
- 留意夾附於買賣合約的圖則。該圖則會顯示所有賣方售 予您的物業面積,而該面積通常較該物業的實用面積為 大。
- 留意賣方有權改動未落成發展項目的建築圖則(如有的話)。如屬未落成發展項目,條例規定物業的買賣合約 須載有強制性條文,列明如有關改動在任何方面對該物 業造成影響,賣方須在改動獲建築事務監督批准後的14 日內,將該項改動以書面通知買家。
- 訂立臨時買賣合約時,您須向擁有人(即賣方)支付樓價5%的臨時訂金。
- 如您在訂立臨時買賣合約後五個工作日(工作日指並非公眾假日、星期六、黑色暴雨警告日或烈風警告日的日子)之內,沒有簽立買賣合約,該臨時買賣合約即告終止,有關臨時訂金(即樓價的5%)會被沒收,而擁有人(即賣方)不得因您沒有簽立買賣合約而對您提出進一步申索。
- 在訂立臨時買賣合約後的五個工作日之內,倘您簽立買賣合約,則擁有人(即賣方)必須在訂立該臨時買賣合約後的八個工作日之內簽立買賣合約。
- 有關的訂金,應付予負責為所涉物業擔任保證金保存人的律師事務所。

10. 表達購樓意向

 留意在賣方(包括其獲授權代表)就有關住宅物業向公 眾提供價單前,賣方不得尋求或接納任何對有關住宅物 業的購樓意向(不論是否屬明確選擇購樓意向)。因此 您不應向賣方或其授權代表提出有關意向。 留意在有關住宅物業的銷售開始前,賣方(包括其獲授權代表)不得尋求或接納任何對該物業的有明確選擇購樓意向。因此您不應向賣方或其授權代表提出有關意向。

11. 委託地產代理

- 留意倘賣方委任一個或多於一個地產代理,以協助銷售 其發展項目內任何指明住宅物業,該發展項目的價單必 須列明在價單印刷日期當日所有獲委任為地產代理的姓 名/名稱。
- 您可委託任何地產代理(不一定是賣方所指定的地產代理),以協助您購置發展項目內任何指明住宅物業;您亦可不委託任何地產代理。
- 委託地產代理以物色物業前,您應該
 - 了解該地產代理是否只代表您行事。該地產代理若 同時代表賣方行事,倘發生利益衝突,未必能夠保 障您的最大利益;
 - 了解您須否支付佣金予該地產代理。若須支付,有關的佣金金額和支付日期為何;以及
 - 留意只有持牌地產代理或營業員才可以接受您的委託。如有疑問,應要求該地產代理或營業員出示其「地產代理證」,或瀏覽地產代理監管局的網頁(網址:www.eaa.org.hk),查閱牌照目錄。

12. 委聘律師

- 考慮自行委聘律師,以保障您的利益。該律師若同時代 表賣方行事,倘發生利益衝突,未必能夠保障您的最大 利益。
- 比較不同律師的收費。

適用於一手未落成住宅物業

13. 預售樓花同意書

洽購地政總署「預售樓花同意方案」下的未落成住宅物業時,應向賣方確認地政總署是否已就該發展項目批出「預售樓花同意書」。

14. 示範單位

- 賣方不一定須設置示範單位供準買家或公眾參觀,但賣方如為某指明住宅物業設置示範單位,必須首先設置該住宅物業的無改動示範單位,才可設置該住宅物業的經改動示範單位,並可以就該住宅物業設置多於一個經改動示範單位。
- 參觀示範單位時,務必視察無改動示範單位,以便與經 改動示範單位作出比較。然而,條例並沒有限制賣方安 排參觀無改動示範單位及經改動示範單位的先後次序。
- 賣方設置示範單位供公眾參觀時,應已提供有關發展項目的售樓說明書。因此,緊記先行索取售樓說明書,以 便在參觀示範單位時參閱相關資料。
- 您可以在無改動示範單位及經改動示範單位中進行量度,並在無改動示範單位內拍照或拍攝影片,惟在確保示範單位參觀者人身安全的前提下,賣方可能會設定合理的限制。

一般而言,「關鍵日期」指該項目符合批地文件的條件的日期,或該項目在 遵照經批准的建築圖則的情況下或按照豁免證明書的發出的條件在各方面均 屬完成的日期。有關詳情請參閱條例第2條。

適用於一手未落成住宅物業及尚待符合條件的已落成住宅物業

15. 預計關鍵日期及收樓日期

- 查閱售樓說明書中有關發展項目的預計關鍵日期3。
 - 售樓說明書中有關發展項目的預計關鍵日期並不等 同買家的「收樓日期」。買家的「收樓日期」一般 會較發展項目的預計關鍵日期遲。然而,假若發展 項目比預期早落成,「收樓日期」可能會較售樓說 明書列出的預計關鍵日期為早。

• 收樓日期

- 條例規定買賣合約須載有強制性條文,列明賣方須 於買賣合約內列出的預計關鍵日期後的14日內,以 書面為發展項目申請佔用文件、合格證明書,或地 政總署署長的轉讓同意(視屬何種情況而定)。
 - ▶ 如發展項目屬地政總署預售樓花同意方案所規管,賣方須在合格證明書或地政總署署長的轉讓同意發出後的一個月內(以較早者為準),就賣方有能力有效地轉讓有關物業一事,以書面通知買家;或
 - ▶ 如發展項目並非屬地政總署預售樓花同意方案 所規管,賣方須在佔用文件(包括佔用許可 證)發出後的六個月內,就賣方有能力有效地 轉讓有關物業一事,以書面通知買家。
- 條例規定買賣合約須載有強制性條文,列明有關物業的買賣須於賣方發出上述通知的日期的14日內完成。有關物業的買賣完成後,賣方將安排買家收樓事宜。
- 認可人士可批予在預計關鍵日期之後完成發展項目
 - 條例規定買賣合約須載有強制性條文,列明發展項目的認可人士可以在顧及純粹由以下一個或多於一個原因所導致的延遲後,批予在預計關鍵日期之後,完成發展項目:
 - ▶ 工人罷工或封閉工地;
 - ▶ 暴動或內亂;
 - ➤ 不可抗力或天災;
 - ▶ 火警或其他賣方所不能控制的意外;
 - ▶ 戰爭;或
 - ▶ 惡劣天氣。
 - 發展項目的認可人士可以按情況,多於一次批予延 後預計關鍵日期以完成發展項目,即收樓日期可能 延遲。
 - 條例規定買賣合約須載有強制性條文,列明賣方須 於認可人士批予延期後的14日內,向買家提供有關 延期證明書的文本。
- 如對收樓日期有任何疑問,可向賣方查詢。

適用於一手已落成住宅物業

16. 賣方資料表格

確保取得最近三個月內印製有關您擬購買的一手已落成 住宅物業的「賣方資料表格」。

17. 參觀物業

- 購置住宅物業前,確保已獲安排參觀您打算購置的住宅物業。倘參觀有關物業並非合理地切實可行,則應參觀與有關物業相若的物業,除非您以書面同意賣方無須開放與有關物業相若的物業供您參觀。您應仔細考慮,然後才決定是否簽署豁免上述規定的書面同意。
- 除非有關物業根據租約持有,或為確保物業參觀者的人身安全而須設定合理限制,您可以對該物業進行量度、 拍照或拍攝影片。

任何與賣方銷售受條例所規管的一手住宅物業有關的投訴和查詢,請與一手住宅物業銷售監管局聯絡。

網址 : www.srpa.gov.hk

電話 : 2817 3313

電郵: enquiry_srpa@hd.gov.hk

傳真 : 2219 2220

其他相關聯絡資料:

消費者委員會

網址: www.consumer.org.hk

電話 : 2929 2222

電郵 : cc@consumer.org.hk

傳真 : 2856 3611

地產代理監管局

網址 : www.eaa.org.hk 電話 : 2111 2777

電郵: enquiry@eaa.org.hk

傳真 : 2598 9596

香港地產建設商會

電話 : 2826 0111 傳真 : 2845 2521

運輸及房屋局

一手住宅物業銷售監管局

2021年7月

INFORMATION ON THE DEVELOPMENT 發展項目的資料

Name of the Development

The Bloomsway

Street Name and Street Number

No. 18, 28, 29 Tsing Ying Road

The Development consists of multi-unit buildings and houses

Total number of storeys of each multi-unit building

The Laguna: 11 towers (Tower 4 is omitted)

The Laguna — Tower 1, Tower 2, Tower 3, Tower 5 and Tower 6:

18 storeys for each tower

Tower 7, Tower 8, Tower 9, Tower 10, Tower 11 and

Tower 12: 13 storeys for each tower

The Terrace: 9 towers (Tower 4 is omitted)

The Terrace — Tower 1, Tower 2, Tower 3, Tower 5, Tower 6, Tower 7, Tower 8, Tower 9 and Tower 10: 7 storeys for each tower

The above numbers of storeys do not include the basement floor, roof and upper roof.

Floor numbering in each multi-unit building as provided in the approved building plans for the Development

The Laguna — Tower 1, Tower 2, Tower 3, Tower 5 and Tower 6:

Basement, Ground Floor, 1/F-3/F, 5/F-12/F, 15/F-20/F and Roof

and Roc

The Laguna — Tower 7, Tower 8, Tower 9, Tower 10, Tower 11 and Tower 12:

Basement, Ground Floor, 1/F-3/F, 5/F-12/F, 15/F and

Roof

The Terrace — Tower 1, Tower 2, Tower 3, Tower 5, Tower 6, Tower 7,

Tower 8, Tower 9 and Tower 10:

Basement, Ground Floor, 1/F-3/F, 5/F-7/F and Roof

Omitted floor numbers in each multi-unit building in which the floor numbering is not in consecutive order

The Laguna — Tower 1, Tower 2, Tower 3, Tower 5, Tower 6, Tower 7, Tower 8, Tower 9, Tower 10, Tower 11 and Tower 12:

4/F, 13/F & 14/F are omitted

The Terrace — Tower 1, Tower 2, Tower 3, Tower 5, Tower 6, Tower 7,

Tower 8, Tower 9 and Tower 10:

4/F is omitted

Refuge floor of each multi-unit building

Not applicable

Total number of houses, house numbering and omitted house numbers

The Terrace: 9 houses

House H1 — House H10 (House H4 is omitted)

The Highland: 34 houses

House H1 — House H39 (House H4, House H13, House H14, House

H24, House H34 are omitted)

發展項目名稱

滿名山

街道名稱及門牌號數

青盈路18號、28號、29號

發展項目包含多單位建築物及洋房

每幢多單位建築物的樓層總數

滿庭:共11座(不設第4座)

滿庭 - 第一座、第二座、第三座、第五座及第六座:每座共18層

第七座、第八座、第九座、第十座、第十一座及

第十二座:每座共13層

名庭:共9座(不設第4座)

名庭 - 第一座、第二座、第三座、第五座、第六座、第七座、

第八座、第九座及第十座:每座共7層

上述樓層數目不包括地庫、天台及上層天台。

發展項目的經批准的建築圖則所規定的每幢多單位建築物內的樓層號數

滿庭 - 第一座、第二座、第三座、第五座及第六座: 地庫、地下、1樓至3樓、5樓至12樓、15樓至20樓及天台

滿庭 - 第七座、第八座、第九座、第十座、第十一座及 第十二座:

地庫、地下、1樓至3樓、5樓至12樓、15樓及天台

名庭 - 第一座、第二座、第三座、第五座、第六座、第七座、 第八座、第九座、第十座:

地庫、地下、1樓至3樓、5樓至7樓及天台

每幢有不依連續次序的樓層號數的多單位建築物內被略去的樓層 號數

滿庭 - 第一座、第二座、第三座、第五座、第六座、第七座、 第八座、第九座、第十座、第十一座及第十二座:

不設4樓、13樓及14樓

名庭 - 第一座、第二座、第三座、第五座、第六座、第七座、

第八座、第九座及第十座:

不設4樓

每幢多單位建築物內的庇護層

不適用

洋房的總數、門牌號數及被略去的門牌號數

名庭:共9座洋房

H1號洋房 - H10號洋房 (不設H4號洋房)

山庭:共34座洋房

H1號洋房 - H39號洋房 (不設H4號、H13號、H14號、H24號、

H34號洋房)

Notes:

"The Laguna" refers to "Platform 1" labeled in the latest approved building plans.

"The Terrace" refers to "Platform 2" labeled in the latest approved building plans.

"The Highland" refers to "Platform 3" labeled in the latest approved building plans.

附註:

「滿庭」指最新經批准的建築圖則中所標注的「Platform 1」。

「名庭」指最新經批准的建築圖則中所標注的「Platform 2」。

「山庭」指最新經批准的建築圖則中所標注的「Platform 3」。

INFORMATION ON VENDOR AND OTHERS INVOLVED IN THE DEVELOPMENT 賣方及有參與發展項目的其他人的資料

Vendor

Senworld Investment Limited

Holding Companies of the Vendor

Sageman Limited

Goldash Holdings Limited

Kerry Properties (Hong Kong) Limited

Kerry Properties Limited

Kerry Holdings Limited

Kerry Group Limited

Authorized Person for the Development

Mr. Lu Yuen Cheung Ronald

The firm or corporation of which an Authorized Person for the Development is a proprietor, director or employee in his or her professional capacity

Ronald Lu & Partners (Hong Kong) Limited

Building Contractor for the Development

China Overseas Building Construction Limited

The firms of Solicitors acting for the owner in relation to the sale of residential properties in the Development

Baker & McKenzie Kao, Lee & Yip Deacons

Authorized institutions that have made a loan or have undertaken to provide finance for the construction of the Development*

The Hongkong and Shanghai Banking Corporation Limited Hang Seng Bank Limited

*The finance undertakings have been cancelled.

Any other person who has made a loan for the construction of the **Development**

Dragon Fame Limited

賣方

仁偉投資有限公司

賣方的控權公司

Sageman Limited

Goldash Holdings Limited

Kerry Properties (Hong Kong) Limited

嘉里建設有限公司

嘉里控股有限公司

Kerry Group Limited

發展項目的認可人士

呂元祥先生

發展項目的認可人士以其專業身分擔任經營人、董事或僱員的商號

或法團

呂元祥建築師事務所(香港)有限公司

發展項目的承建商

中國海外房屋工程有限公司

就發展項目中的住宅物業的出售而代表擁有人行事的律師事務所

貝克 • 麥堅時律師事務所

高李葉律師行

的近律師行

已為發展項目的建造提供貸款或已承諾為發展項目的建造提供融資 的認可機構*

香港上海滙豐銀行有限公司

恒生銀行有限公司

*融資承諾已取消。

已為發展項目的建造提供貸款的任何其他人士

東譽有限公司

RELATIONSHIP BETWEEN PARTIES INVOLVED IN THE DEVELOPMENT 有參與發展項目的各方的關係

(a)	The vendor or a building contractor for the development is an individual, and that vendor or contractor is an immediate family member of an authorized person for the development;	Not Applicable
(b)	The vendor or a building contractor for the development is a partnership, and a partner of that vendor or contractor is an immediate family member of such an authorized person;	Not Applicable
(c)	The vendor or a building contractor for the development is a corporation, and a director or the secretary of that vendor or contractor (or a holding company of that vendor) is an immediate family member of such an authorized person;	Not Applicable
(d)	The vendor or a building contractor for the development is an individual, and that vendor or contractor is an immediate family member of an associate of such an authorized person;	Not Applicable
(e)	The vendor or a building contractor for the development is a partnership, and a partner of that vendor or contractor is an immediate family member of an associate of such an authorized person;	Not Applicable
(f)	The vendor or a building contractor for the development is a corporation, and a director or the secretary of that vendor or contractor (or a holding company of that vendor) is an immediate family member of an associate of such an authorized person;	Not Applicable
(g)	The vendor or a building contractor for the development is an individual, and that vendor or contractor is an immediate family member of a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the development;	Not Applicable
(h)	The vendor or a building contractor for the development is a partnership, and a partner of that vendor or contractor is an immediate family member of a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the development;	Not Applicable
(i)	The vendor or a building contractor for the development is a corporation, and a director or the secretary of that vendor or contractor (or a holding company of that vendor) is an immediate family member of a proprietor of such a firm of solicitors;	Not Applicable
(j)	The vendor, a holding company of the vendor, or a building contractor for the development, is a private company, and an authorized person for the development, or an associate of such an authorized person, holds at least 10% of the issued shares in that vendor, holding company or contractor;	Not Applicable
(k)	The vendor, a holding company of the vendor, or a building contractor for the development, is a listed company, and such an authorized person, or such an associate, holds at least 1% of the issued shares in that vendor, holding company or contractor;	Not Applicable
(1)	The vendor or a building contractor for the development is a corporation, and such an authorized person, or such an associate, is an employee, director or secretary of that vendor or contractor or of a holding company of that vendor;	Not Applicable
(m)	The vendor or a building contractor for the development is a partnership, and such an authorized person, or such an associate, is an employee of that vendor or contractor;	Not Applicable
(n)	The vendor, a holding company of the vendor, or a building contractor for the development, is a private company, and a proprietor of a firm of solicitors acting for the owner in relation to the sale of residential properties in the development holds at least 10% of the issued shares in that vendor, holding company or contractor;	Not Applicable
(o)	The vendor, a holding company of the vendor, or a building contractor for the development, is a listed company, and a proprietor of such a firm of solicitors holds at least 1% of the issued shares in that vendor, holding company or contractor;	Not Applicable
(p)	The vendor or a building contractor for the development is a corporation, and a proprietor of such a firm of solicitors is an employee, director or secretary of that vendor or contractor or of a holding company of that vendor;	Not Applicable
(q)	The vendor or a building contractor for the development is a partnership, and a proprietor of such a firm of solicitors is an employee of that vendor or contractor;	Not Applicable
(r)	The vendor or a building contractor for the development is a corporation, and the corporation of which an authorized person for the development is a director or employee in his or her professional capacity is an associate corporation of that vendor or contractor or of a holding company of that vendor;	Not Applicable
(s)	The vendor or a building contractor for the development is a corporation, and that contractor is an associate corporation of that vendor or of a holding company of that vendor.	Not Applicable

RELATIONSHIP BETWEEN PARTIES INVOLVED IN THE DEVELOPMENT 有參與發展項目的各方的關係

(a)	賣方或有關發展項目的承建商屬個人,並屬該項目的認可人士的家人;	不適用
(b)	賣方或該項目的承建商屬合夥,而該賣方或承建商的合夥人屬上述認可人士的家人;	不適用
(c)	賣方或該項目的承建商屬法團,而該賣方或承建商(或該賣方的控權公司)的董事或秘書屬上述認可人士的家人;	不適用
(d)	賣方或該項目的承建商屬個人,並屬上述認可人士的有聯繫人士的家人;	不適用
(e)	賣方或該項目的承建商屬合夥,而該賣方或承建商的合夥人屬上述認可人士的有聯繫人士的家人;	不適用
(f)	賣方或該項目的承建商屬法團,而該賣方或承建商(或該賣方的控權公司)的董事或秘書屬上述認可人士的有聯繫人士的家人;	不適用
(g)	賣方或該項目的承建商屬個人,並屬就該項目內的住宅物業的出售代表擁有人行事的律師事務所行事的經營人 的家人;	不適用
(h)	賣方或該項目的承建商屬合夥,而該賣方或承建商的合夥人屬就該項目內的住宅物業的出售代表擁有人行事的 律師事務所行事的經營人的家人;	不適用
(i)	賣方或該項目的承建商屬法團,而該賣方或承建商(或該賣方的控權公司)的董事或秘書屬上述律師事務所的經營 人的家人;	不適用
(j)	賣方、賣方的控權公司或有關發展項目的承建商屬私人公司,而該項目的認可人士或該認可人士的有聯繫人士 持有該賣方、控權公司或承建商最少10%的已發行股份;	不適用
(k)	賣方、賣方的控權公司或該項目的承建商屬上市公司,而上述認可人士或上述有聯繫人士持有該賣方、控權公司或承建商最少1%的已發行股份;	不適用
(1)	賣方或該項目的承建商屬法團,而上述認可人士或上述有聯繫人士屬該賣方、承建商或該賣方的控權公司的僱 員、董事或秘書;	不適用
(m)	賣方或該項目的承建商屬合夥,而上述認可人士或上述有聯繫人士屬該賣方或承建商的僱員;	不適用
(n)	賣方、賣方的控權公司或該項目的承建商屬私人公司,而就該項目中的住宅物業的出售而代表擁有人行事的律師事務所的經營人持有該賣方、控權公司或承建商最少10%的已發行股份;	不適用
(0)	賣方、賣方的控權公司或該項目的承建商屬上市公司,而上述律師事務所的經營人持有該賣方、控權公司或承 建商最少1%的已發行股份;	不適用
(p)	賣方或該項目的承建商屬法團,而上述律師事務所的經營人屬該賣方或承建商或該賣方的控權公司的僱員、董 事或秘書;	不適用
(q)	賣方或該項目的承建商屬合夥,而上述律師事務所的經營人屬該賣方或承建商的僱員;	不適用
(r)	賣方或該項目的承建商屬法團,而該項目的認可人士以其專業身分擔任董事或僱員的法團為該賣方或承建商或 該賣方的控權公司的有聯緊法團;	不適用
(s)	賣方或該項目的承建商屬法團,而該承建商屬該賣方或該賣方的控權公司的有聯繫法團。	不適用

There are non-structural prefabricated external walls and curtain walls forming part of the enclosing walls. 有非結構的預製外牆及幕牆構成圍封牆的一部分。

The range of thickness of the non-structural prefabricated external walls of each tower of the Development is 150mm. 非結構的預製外牆之厚度範圍為150毫米。

SCHEDULE OF TOTAL AREA OF NON-STRUCTURAL PREFABRICATED EXTERNAL WALLS OF EACH RESIDENTIAL PROPERTY 每個住宅物業的非結構的預製外牆總面積表

THE LAGUNA 滿庭

	of Ea	ach Res	ral Prefabricated External Walls idential Property 吉構的預製外牆的總面積
Tower 座數	Floor 樓層	Unit 單位	Total Area of Non-Structural Prefabricated External Walls (sq.m.) 非結構的預製外牆的總面積 (平方米
	G/F	A	0.574
	地下	В	0.837
	1/F	A	0.837
	1樓	В	0.837
	2/F, 3/F, 5/F - 12/F	Α	0.837
	and 15/F - 19/F	В	0.837
1	2樓、3樓、	C	0.960
	5樓至12樓 及	D	0.867
	15樓至19樓	Е	0.837
		A	0.837
	20/F	С	0.960
	20樓	D	0.867
		Е	0.837
	G/F 地下	Α	0.431
		В	0.851
	1/F 1樓	Α	0.431
		В	0.851
	2/F, 3/F, 5/F - 12/F and 15/F - 19/F	A	0.431
		В	0.851
2	2樓、3樓、	С	0.960
	5樓至12樓 及 15樓至19樓	D	0.836
		Е	0.574
		A	0.461
	20/F	С	0.960
	20樓	D	0.836
		Е	0.574
	G/F, 1/F 地下, 1樓	A	0.820
	2/F, 3/F, 5/F - 12/F	Α	0.807
2	and 15/F - 19/F 2樓、3樓,	D	0.450
3	5樓至12樓 及 15樓至19樓	Е	0.233
	20/F	A	0.574
	20樓	Е	0.233
	1/F 1樓	A	0.997
	2/F, 3/F, 5/F - 12/F	A	0.997
5	and 15/F - 19/F	F	0.852
	2樓、3樓, 5樓至12樓 及 15樓至19樓	J	0.574
	20/F	D	0.233
	20相 20樓	J	0.574

THE LAGUNA 滿庭

Total Area of Non-Structural Prefabricated External Walls of Each Residential Property 每個住宅物業的非結構的預製外牆的總面積					
Tower 座數	Floor 樓層	Unit 單位	Total Area of Non-Structural Prefabricated External Walls (sq.m.) 非結構的預製外牆的總面積 (平方米)		
	1/F 1樓	A	0.998		
	2/F, 3/F, 5/F - 12/F	Α	0.998		
6	and 15/F - 19/F 2樓、3樓, 5樓至12樓 及 15樓至19樓	J	0.585		
	20/F	A	0.757		
	20樓	J	0.585		
	G/F 地下	A	0.679		
	1/F 1樓	A	0.723		
7	2/F, 3/F and	A	0.731		
·	5/F - 12/F 2樓、3樓 及	С	1.002		
	5樓至12樓	Е	0.858		
	15/F 15樓	С	1.002		
	G/F, 1/F	Α	0.450		
	地下、1樓	В	0.739		
	2/F, 3/F and 5/F - 12/F 2樓、3樓 及 5樓至12樓	A	0.450		
8		С	0.739		
		D	0.739		
		G	0.739		
	15/F	A	0.450		
	15樓	D	0.739		
	1/F 1樓	A	1.002		
	2/F, 3/F and	Α	1.002		
9	5/F - 12/F	D	0.716		
	2樓、3樓 及 5樓至12樓	Е	0.746		
		Н	1.265		
	15/F 15樓	Н	1.265		
	G/F, 1/F 地下、1樓	A	0.806		
	2/F, 3/F and	A	0.806		
10	5/F - 12/F 2樓、3樓 及	D	0.450		
	2樓、3樓 及 5樓至12樓	Е	0.679		
	15/F	A	0.574		
	15樓	Е	0.679		

THE LAGUNA 滿庭

Total Area of Non-Structural Prefabricated External Walls of Each Residential Property 每個住宅物業的非結構的預製外牆的總面積 Total Area of Non-Structural Tower Floor Unit Prefabricated External Walls (sq.m.) 座數 樓層 單位 非結構的預製外牆的總面積 (平方米) 0.461 A G/F, 1/F 地下、1樓 В 0.851 A 0.461 2/F, 3/F and В 0.851 5/F - 12/F C 0.942 2樓、3樓 及 11 D 0.836 5樓至12樓 Е 0.806 A 0.463 C 0.942 15/F 15樓 D 0.836 Е 0.806 0.604 G/F, 1/F A 地下、1樓 В 0.851 A 0.604 2/F, 3/F and В 0.851 5/F - 12/F C 0.960 2樓、3樓 及 12 D 0.866 5樓至12樓 Е 0.604 A 0.604 C 0.960 15/F 15樓 D 0.866 Ε 0.604

THE TERRACE 名庭

Total Area of Non-Structural Prefabricated External Walls of Each Residential Property 每個住宅物業的非結構的預製外牆的總面積					
Tower 座數	Floor 樓層	Unit 單位	Total Area of Non-Structural Prefabricated External Walls (sq.m.) 非結構的預製外牆的總面積 (平方米)		
	G/F 地下	A	0.773		
	1/F	Α	1.454		
	1樓	В	0.868		
1	2/F, 3/F, 5/F and 6/F 2樓、3樓、5樓 及	A	1.454		
	6樓	В	0.915		
	7/F 7樓	A	1.454		
		В	0.915		
	1/F 1樓	Α	0.868		
		В	0.868		
2	2/F, 3/F, 5/F and 6/F 2樓、3樓、5樓 及 6樓	A	0.915		
_		В	0.868		
	7/F	Α	0.915		
	7樓	В	0.868		
	1/F	Α	0.868		
	1樓	В	0.868		
3	2/F, 3/F, 5/F and 6/F 2樓、3樓、5樓 及	A	0.915		
	6樓	В	0.868		
	7/F	Α	0.915		
	7樓	В	0.868		

THE TERRACE 名庭

	Total Area of Non-Structural Prefabricated External Walls of Each Residential Property 每個住宅物業的非結構的預製外牆的總面積					
Tower 座數	Floor 樓層	Unit 單位	Total Area of Non-Structural Prefabricated External Walls (sq.m.) 非結構的預製外牆的總面積 (平方米)			
	G/F 地下	В	0.259			
	1/F	A	0.868			
	1樓	В	0.681			
5	2/F, 3/F, 5/F and 6/F	A	0.915			
	2樓、3樓、5樓 及 6樓	В	0.681			
	7/F	Α	0.915			
	7樓	В	0.681			
	G/F 地下	В	0.356			
6	1/F 1樓	В	0.356			
	2/F, 3/F, 5/F and 6/F 2樓、3樓、5樓 及 6樓	В	0.356			
	G/F	A	0.248			
	地下	В	0.248			
	1/F	Α	0.248			
7	1樓	В	0.248			
/	2/F, 3/F, 5/F and 6/F 2樓、3樓、5樓 及	A	0.248			
	6樓	В	0.248			
	7/F 7樓	A	0.248			
	G/F 地下	A	0.248			
8	1/F 1樓	A	0.248			
	2/F, 3/F, 5/F and 6/F 2樓、3樓、5樓 及 6樓	A	0.248			
	G/F 地下	A	0.270			
9	1/F 1樓	A	0.270			
	2/F, 3/F, 5/F and 6/F 2樓、3樓、5樓 及 6樓	A	0.270			
	G/F 地下	A	0.356			
10	1/F 1樓	A	0.356			
	2/F, 3/F, 5/F and 6/F 2樓、3樓、5樓 及 6樓	A	0.356			

The range of thickness of curtain walls of each tower of the Development is 300mm. 幕牆之厚度範圍為300毫米。

SCHEDULE OF TOTAL AREA OF CURTAIN WALLS OF EACH RESIDENTIAL PROPERTY 每個住宅物業的幕牆總面積表

THE LAGUNA 滿庭

	每個住宅	三物業的	Each Residential Property 幕牆的總面積
Tower 座數	Floor 樓層	Unit 單位	Total Area of Curtain Walls (sq.m.) 幕牆的總面積 (平方米)
	1/F	A	0.885
	1樓	В	1.635
	2/F, 3/F, 5/F - 12/F	Α	2.010
	and 15/F - 19/F	В	1.995
	2樓、3樓、	С	1.793
1	5樓至12樓 及 15樓至19樓	D	2.085
	13 安土 19 安	Е	2.115
		Α	1.335
	20/F	С	1.793
	20樓	D	2.085
		Е	2.115
	1/F	A	1.140
	1樓	В	1.065
	2/F, 3/F, 5/F - 12/F	Α	2.040
	and 15/F - 19/F	В	2.497
	2樓、3樓、 5樓至12樓 及	С	1.792
2	15樓至19樓	D	2.070
	13安土13安	Е	2.479
		A	0.975
	20/F 20樓	С	1.792
		D	2.070
		Е	2.479
	1/F	A	0.960
	1樓	В	2.047
	2/F, 3/F, 5/F - 12/F	A	1.710
	and 15/F - 19/F	В	3.165
3	2樓、3樓、 5樓至12樓 及	С	1.073
	15樓至19樓	D	2.610
	15 安土 15 安	Е	2.940
	20/F	A	0.963
	20樓	С	4.545
		Е	2.940
	1/F	A	0.885
	1樓	B	0.735
		C	0.705
		A	1.725
	2/E 2/E 5/E 12/E	В	0.735
	2/F, 3/F, 5/F - 12/F and 15/F - 19/F	С	0.705
	2樓、3樓、	D	0.990
5	5樓至12樓 及	E	0.960
	15樓至19樓	F	1.989
		G	1.337
		Н	1.053
		J	1.740
		A	4.140
	20/F	G	1.337
	20樓	Н	1.053

THE LAGUNA 滿庭

			Each Residential Property 幕牆的總面積
Tower 座數	Floor 樓層	Unit 單位	Total Area of Curtain Walls (sq.m.) 幕牆的總面積 (平方米)
		A	0.885
	1/F	В	0.705
	1樓	С	0.705
		D	0.997
		Α	1.725
		В	0.705
	2/F, 3/F, 5/F - 12/F and 15/F - 19/F	С	0.705
	2樓、3樓、	D	1.057
	5樓至12樓 及	Е	1.067
6	15樓至19樓	F	1.333
		G	1.388
		Н	1.027
		J	1.875
		A	4.068
		Е	1.067
	20/F	F	1.333
	20樓	G	1.388
		Н	1.027
		J	1.875
	1/F	A	0.254
	1樓	В	1.919
	2/5 2/5 1	A	2.735
	2/F - 3/F and 5/F - 12/F	В	1.919
7	2樓至3樓 及	С	1.965
,	5樓至12樓	D	1.028
		Е	2.662
	15/F	A	1.665
	15樓	С	1.965
		D	4.080
	1/F	A	0.735
	1樓	С	0.735
		Α	1.719
	2/E 2/E and	В	0.904
	2/F, 3/F and 5/F - 12/F	С	1.719
8	2樓、3樓 及	D	2.010
-	5樓至12樓	Е	1.087
		F	1.087
		G	2.010
	15/F	A	3.668
	15/F 15樓	D	2.010
		Е	3.420

THE LAGUNA 滿庭

	Total Area of Curtain Walls of Each Residential Property 每個住宅物業的幕牆的總面積					
Tower 座數	Floor 樓層	Unit 單位	Total Area of Curtain Walls (sq.m.) 幕牆的總面積 (平方米)			
	1/15	A	0.945			
	1/F 1樓	В	1.087			
	刊安	С	0.765			
		A	1.710			
		В	1.087			
	2/F, 3/F and	C	0.765			
	5/F - 12/F	D	2.644			
9	2樓、3樓及	Е	2.644			
	5樓至12樓	F	0.765			
		G	1.087			
		Н	1.995			
		Α	1.852			
	15/F	D	2.783			
	15樓	F	0.765			
		G	1.087			
		Н	1.995			
	1/F	A	0.885			
	1樓	В	2.047			
	2/F, 3/F and 5/F - 12/F	A	1.710			
		В	3.120			
10	2樓、3樓 及	С	1.072			
10	5樓至12樓	D	2.610			
		Е	2.789			
	15/F	A	0.918			
	15樓	С	4.458			
		Е	2.789			
	1/F	A	1.065			
_	1樓	В	1.065			
	2/F, 3/F and	A	2.040			
	5/F - 12/F	В	2.497			
	2樓、3樓 及	С	1.792			
11	5樓至12樓	D	2.070			
		E	2.070			
		A	0.989			
	15/F 15樓	C	1.792			
	13年	D	2.070			
	4.75	E	2.070			
	1/F 1樓	A	0.885			
	17安	В	1.065			
	2/F, 3/F and	A	1.995			
	5/F - 12/F	B	2.498			
12	2樓、3樓 及		1.792			
12	5樓至12樓	D	2.115			
		E	2.827			
	15/5	A C	1.193 1.792			
	15/F		1./92			
	15樓	D	2.115			

THE TERRACE 名庭

	Total Area of Curtain Walls of Each Residential Property 每個住宅物業的幕牆的總面積				
Tower 座數	Floor 樓層	Unit 單位	Total Area of Curtain Walls (sq.m.) 幕牆的總面積 (平方米)		
	G/F 地下	В	1.165		
	1/F 1樓	В	1.383		
1	2/F, 3/F, 5/F and 6/F 2樓、3樓、5樓 及 6樓	В	1.383		
	7/F 7樓	В	1.383		
	G/F 地下	A	1.106		
		B A	1.106 1.383		
	1/F 捜	B	1.383		
2	2/F, 3/F, 5/F and 6/F	A	1.383		
	2樓、3樓、5樓及6樓	В	1.383		
	7/F	A	1.383		
	7樓	В	1.383		
	G/F	A	1.383		
	地下	В	1.383		
	1/F	A	1.383		
3	1樓	В	1.383		
3	2/F, 3/F, 5/F and 6/F	Α	1.383		
	2樓、3樓、5樓 及 6樓	В	1.383		
	7/F	A	1.383		
	7樓	В	1.383		
	G/F 地下	A	1.383		
		В	1.383		
	1/F 捜	A	1.383		
5		B A	1.383 1.383		
	2/F, 3/F, 5/F and 6/F 2樓、3樓、5樓 及 6樓	B	1.383		
	7/F	A	1.383		
	7樓	В	1.383		
	G/F	A	1.361		
	地下	В	0.780		
	1/F	A	3.031		
6	1樓	В	1.595		
	2/F, 3/F, 5/F and 6/F	A	3.031		
	2樓、3樓、5樓 及 6樓	В	1.595		
	7/F 7樓	A	2.216		
	G/F 地下	A	0.780		
		В	0.780		
	1/F 捜	A B	1.595 3.463		
7		A	1.595		
	2/F, 3/F, 5/F and 6/F 2樓、3樓、5樓 及 6樓	B	3.463		
	7/F 7樓	A	2.648		
	G/F	A	0.780		
	地下	В	1.360		
	1/F	A	1.595		
8	1樓	В	3.030		
0	2/F, 3/F, 5/F and 6/F	A	1.595		
	2樓、3樓、5樓 及 6樓	В	3.030		
	7/F	A	2.215		
	7樓		-		

THE TERRACE 名庭

	Total Area of Curtain Walls of Each Residential Property 每個住宅物業的幕牆的總面積					
Tower 座數	Floor 樓層	Unit 單位	Total Area of Curtain Walls (sq.m.) 幕牆的總面積 (平方米)			
	G/F	A	0.780			
	地下	В	1.360			
	1/F	A	1.595			
9	1樓	В	3.030			
	2/F, 3/F, 5/F and 6/F 2樓、3樓、5樓 及 6樓	A	1.595			
		В	3.030			
	7/F 7樓	A	2.215			
	G/F	A	0.780			
	地下	В	1.360			
	1/F	A	1.595			
10	1樓	В	3.030			
10	2/F, 3/F, 5/F and 6/F	A	1.595			
	2樓, 3樓, 5樓 及 6樓	В	3.030			
	7/F 7樓	A	2.215			


INFORMATION ON PROPERTY MANAGEMENT 物業管理的資料

The person appointed as the Manager of the Development under the executed deed of mutual covenant:

Kerry Property Management Services Limited

根據已簽立的公契,獲委任為本發展項目的管理人:

嘉里物業管理服務有限公司




Notation 圖例

- 子 Power plant (including electricity sub-stations) 發電廠 (包括電力分站)
- **□** Cemetery 墳場
- n Refuse collection point 垃圾收集站
- ₩ Public convenience 公廁
- Public transport terminal (including a rail station) 公共交通總站 (包括鐵路車站)
- ▶ Public utility installation 公用事業設施裝置
- 📵 Religious institution (including a church, a temple and a Tsz Tong) 宗教場所 (包括教堂、廟宇及祠堂)
- Sports facilities (including a sports ground and a swimming pool) 體育設施 (包括運動場及游泳池)
- **▲** Public park 公園
- Public carpark (including a lorry park) 公眾停車場 (包括貨車停泊處)
- School (including a kindergarten) 學校 (包括幼稚園)

Notes:

- 1. The above Location Plan is prepared by the Vendor with reference to the Survey Sheet No. 6-SW-C dated 1 December 2022.
- 2. The Government of the Hong Kong SAR has the copyright of the above plan. The map is reproduced with permission of the Director of Lands © The Government of Hong Kong SAR. Licence No. 91/2021.
- 3. The Vendor also advises purchasers to conduct on-site visit for a better understanding of the Development site, its surrounding environment and the public facilities nearby.
- 4. Due to technical reasons (such as the shape of the Development), the location plan has shown area more than that required under the Residential Properties (First-hand Sales) Ordinance.

- 1. 上述所在位置圖參考於2022年12月1日修訂之測繪圖編號6-SW-C,並由賣方擬備。
- 2. 地圖版權屬香港特區政府,經地政總署准許複印,版權特許編號91/2021。
- 3. 賣方亦建議買方到該發展地盤作實地考察,以獲取對該發展地盤,以及周邊地區的環境及附近的公共設施有較佳的了解。
- 4. 因技術原因(例如發展項目之形狀),位置圖顯示之範圍多於《一手住宅物業銷售條例》所要求顯示的範圍。





E017153C

Location of the Development 發展項目的位置


Source of aerial photograph: Survey and Mapping Office of Lands Department, the Government of the Hong Kong Special Administrative Region. 鳥瞰照片來源:香港特別行政區政府地政總署測繪處

Notes:

- 1. The above aerial photograph is taken at a flying height of 6,900 feet on 2 April, 2017 (Photo No. E017153C).
- 2. Survey and Mapping Office, Lands Department, The Government of HKSAR © Copyright reserved reproduction by permission only.
- 3. Due to technical reasons (such as the shape of the Development), the aerial photographs have shown area more than that required under the Residential Properties (First-hand Sales) Ordinance.
- 4. The Vendor also advises purchasers to conduct on-site visit for a better understanding of the development site, its surrounding environment and the public facilities nearby.

- 1. 上述鳥瞰照片於2017年4月2日(照片編號: E017153C)6,900呎的飛行高度拍攝。
- 2. 香港特別行政區政府地政總署測繪處©版權所有,未經許可,不得複製。
- 3. 因技術原因(例如發展項目之形狀),鳥瞰照片所顯示之範圍多於《一手住宅物業銷售條例》所要求顯示的範圍。
- 4. 賣方亦建議買方到該發展地盤作實地考察,以獲取對該發展地盤,以及周邊地區環境及附近的公共設施有較佳的了解。

AERIAL PHOTOGRAPH OF THE DEVELOPMENT 發展項目的鳥瞰照片



This blank area falls outside the coverage of the aerial photograph 鳥瞰照片並不覆蓋本空白範圍



Source of aerial photograph: Survey and Mapping Office of Lands Department, the Government of the Hong Kong Special Administrative Region. 鳥瞰照片來源:香港特別行政區 政府地政總署測繪處


Notes:

- 1. The above aerial photographs are taken at a flying height of 6,900 feet on 18 January, 2021 (Photo No. E129447C) and on 18 January, 2021 (Photo No. E129450C).
- Survey and Mapping Office, Lands Department, The Government of HKSAR © Copyright reserved – reproduction by permission only.
- 3. Due to technical reasons (such as the shape of the Development), the aerial photographs have shown area more than that required under the Residential Properties (First-hand Sales) Ordinance.
- 4. The Vendor also advises purchasers to conduct on-site visit for a better understanding of the development site, its surrounding environment and the public facilities nearby.


附註:

- 1. 上述鳥瞰照片於2021年1月 18日(照片編號: E129447C) 及2021年1月18日(照片編 號: E129450C)6,900呎的飛 行高度拍攝。
- 香港特別行政區政府地政總署測繪處©版權所有,未經許可,不得複製。
- 3. 因技術原因(例如發展項目 之形狀),鳥瞰照片所顯示 之範圍多於《一手住宅物業 銷售條例》所要求顯示的範
- 4. 賣方亦建議買方到該發展地 盤作實地考察,以獲取對該 發展地盤,以及周邊地區環 境及附近的公共設施有較佳 的了解。

E129450C




This blank area falls outside the coverage of the aerial photograph 鳥瞰照片並不覆蓋本空白範圍



This blank area falls outside the coverage of the aerial photograph 鳥瞰照片並不覆蓋本空白範圍

E129984C

This blank area falls outside the coverage of the aerial photograph 鳥瞰照片並不覆蓋本空白範圍



E129981C



Source of aerial photograph: Survey and Mapping Office of Lands Department, the Government of the Hong Kong Special Administrative Region. 鳥瞰照片來源:香港特別行政區 政府地政總署測繪處

Notes:

- 1. The above aerial photographs are taken at a flying height of 6,900 feet on 18 January, 2021 (Photo No. E129981C) and on 18 January, 2021 (Photo No. E129984C).
- Survey and Mapping Office, Lands Department, The Government of HKSAR
 Copyright reserved – reproduction by permission only.
- 3. Due to technical reasons (such as the shape of the Development), the aerial photographs have shown area more than that required under the Residential Properties (First-hand Sales) Ordinance.
- 4. The Vendor also advises purchasers to conduct on-site visit for a better understanding of the development site, its surrounding environment and the public facilities nearby.

- 1. 上述鳥瞰照片於2021年1月 18日(照片編號: E129981C) 及2021年1月18日(照片編號: E129984C)6,900呎的飛 行高度拍攝。
- 香港特別行政區政府地政總署測繪處©版權所有,未經許可,不得複製。
- 3. 因技術原因(例如發展項目 之形狀),鳥瞰照片所顯示 之範圍多於《一手住宅物業 銷售條例》所要求顯示的範 圍。
- 4. 賣方亦建議買方到該發展地 盤作實地考察,以獲取對該 發展地盤,以及周邊地區環 境及附近的公共設施有較佳 的了解。


OUTLINE ZONING PLAN RELATING TO THE DEVELOPMENT 關乎發展項目的分區計劃大綱圖

OU*

Other Specified Uses (YACHT CLUB, BOAT REPAIRING AND COMMERCIAL FACILITIES ASSOCIATED WITH MARINA DEVELOPMENT)

其他指定用途(遊艇會、船隻修理及與

遊艇停泊處有關的商業設施)




Extract from draft Tuen Mun Outline Zoning Plan No. S/TM/36 (Gazetted date: 22 July, 2022) 摘錄自屯門分區計劃大綱草圖 - 編號 S/TM/36 (刊憲日期: 2022年7月22日)

Notes:

- 1. The Outline Zoning Plan is reproduced with permission of the Director of Lands © The Government of Hong Kong SAR.
- 2. The above Outline Zoning Plan is available for free inspection at the Sales Office(s) during opening hours.
- 3. Due to technical reasons (such as the shape of the Development), the Outline Zoning Plan has shown area more than that required under the Residential Properties (First-hand Sales) Ordinance.
- 4. The Vendor also advises purchasers to conduct on-site visit for a better understanding of the Development site, its surrounding environment and the public facilities nearby.

- 1. 分區計劃大綱圖版權屬香港特區政府,經地政總署准許複印。
- 2. 上述分區計劃大綱圖可於開放時間向售樓處免費查閱。
- 3. 因技術原因(例如發展項目之形狀),分區計劃大綱圖所顯示之範圍多於《一手住宅物業銷售條例》所要求顯示的範圍。
- 4. 賣方亦建議買方到該發展地盤作實地考察,以獲取對該發展地盤,以及周邊地區環境及附近的公共設施有較佳的了解。

OUTLINE ZONING PLAN RELATING TO THE DEVELOPMENT 關乎發展項目的分區計劃大綱圖



Extract from draft So Kwun Wat Outline Zoning Plan No. S/TM-SKW/14 (Gazetted date: 30 September, 2022) 摘錄自掃管笏分區計劃大綱草圖 - 編號 S/TM-SKW/14 (刊憲日期: 2022年9月30日)


Notes:

- 1. The Outline Zoning Plan is reproduced with permission of the Director of Lands © The Government of Hong Kong SAR.
- 2. The above Outline Zoning Plan is available for free inspection at the Sales Office(s) during opening hours.
- 3. Due to technical reasons (such as the shape of the Development), the Outline Zoning Plan has shown area more than that required under the Residential Properties (First-hand Sales) Ordinance.
- 4. The Vendor also advises purchasers to conduct on-site visit for a better understanding of the Development site, its surrounding environment and the public facilities nearby.

- 1. 分區計劃大綱圖版權屬香港特區政府,經地政總署准許複印。
- 2. 上述分區計劃大綱圖可於開放時間向售樓處免費查閱。
- 3. 因技術原因(例如發展項目之形狀),分區計劃大綱圖所顯示之範圍多於《一手住宅物業銷售條例》所要求顯示的範圍。
- 4. 賣方亦建議買方到該發展地盤作實地考察,以獲取對該發展地盤,以及周邊地區環境及附近的公共設施有較佳的了解。







ACCESS TO CARPARK 停車場入口

Notes:

- "The Laguna" refers to "Platform 1" labeled in the latest approved building plans.
- "The Terrace" refers to "Platform 2" labeled in the latest approved building plans.
- "The Highland" refers to "Platform 3" labeled in the latest approved building plans.

- 「滿庭」指最新經批准的建築圖則中所標注的「Platform 1」。
- 「名庭」指最新經批准的建築圖則中所標注的「Platform 2」。
- 「山庭」指最新經批准的建築圖則中所標注的「Platform 3」。

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

LEGEND OF THE TERMS AND ABBREVIATIONS ON FLOOR PLANS

樓面平面圖中的名詞及簡稱之圖例

A/C PLATFORM

Air-conditioning platform A/C PLANT RM. Air-conditioning plant room A/C PLINTH Plinth for Air-conditioning ARCHITECTURAL FEATURE Architectural Feature Balcony BAL. BATH 1 Bathroom 1 BATH 2 Bathroom 2 BATH 3 Bathroom 3 Bedroom 1 BED 1 BED 2 Bedroom 2 BED 3 Bedroom 3 BED 4 Bedroom 4 **BUILDING LINE ABOVE Building Line Above** CABLE RISER / C.R.D. Cable Riser Duct **CARPARK** Carpark **COMMON AREA** Common Area CONCRETE FILLING Concrete Filling COMPACT BACKFILL Compact Backfill Curtain Wall **CURTAIN WALL**

Dining Room DIN. DOG HOUSE Mechanical & Electrical Service Duct connecting to the Floor Below

Extra Low Voltage Duct E.L.V. E.M.C. **Electrical Meter Cabinet** E.M.R. **Electrical Meter Room FAMILY ROOM** Family Room

FIXED GLAZING **Fixed Glazing FLAT ROOF** Flat Roof FLAT ROOF BELOW Flat Roof Below Fire Service Control Room F.S. Control Room

F.S. INLET Fire Service Inlet

Fire Service Repeated Panel F.S. PANEL

GARDEN Garden **GARDEN BELOW** Garden Below

GAS WATER HEATER ENCLOSURE Gas Water Heater Enclosure

HATCH DOOR Hatch Door Hose Reel HR Kitchen KIT. Lavatory LAV. LIFT Lift LIFT LOBBY Lift Lobby Living Room LIV. LIV./DIN. Living/dining Room M. BATH Master Bathroom M. BED Master Bedroom Open Kitchen OPEN KIT.

Pipe Duct P.D. Pipe Duct Room P.D.RM. Planter **PLANTER** PRIVATE LIFT LOBBY Private Lift Lobby POWDER ROOM Powder Room

ROOF Roof

Roof of stairhood ROOF OF STAIRHOOD RS&MRR Refuse Storage and Material Recovery Room **SKYLIGHT** Skylight

Smoke Vent SMOKE VENT ST. Store TOP OF BALCONY Top of Balcony TOP OF U.P. Top of Utility Platform Utility Platform U.P. **Utility Room** U.T.

UPPER PART OF STAIRS Upper Part of Stairs

Ventilation Duct/Ventilation Pipe 通風井 **VENT SHAFT** Ventilation Shaft 排氣井 Water Meter Cabinet 水錶房/水錶櫃 W.M.C.

Remarks:

- There may be architectural features and/or exposed pipes on external walls of some floors.
- Common pipes exposed and/or enclosed in cladding are located at/ adjacent to the Balcony and/or Flat Roof and/or Utility Platform and/or air-conditioning platform and/or external wall of some units.
- There are ceiling and/or bulkheads of some units for the installation of the air-conditioning system and/or mechanical and electrical
- Symbols of fittings and fitments shown on the floor plans, such as bathtubs, shower cubicle, sink, water closets, sink counter, etc, are retrieved from the latest approved building plans and are for general

備註:

- 部分樓層外牆設有建築裝飾及/或外露喉管。
- 部分單位的露台及/或平台及/或工作平台及/或私人花園及/或 冷氣機平台及/或外牆設有外及/或內藏的公用喉管。

空調機平台

空調機平台

外牆建築裝飾

空調機房

露台

浴室 1

浴室 2

浴室 3

睡房 1

睡房 2

睡房 3

睡房 4

停車位

公用地方

泥土回填

幕牆

飯廳

電錶櫃

電錶房

家庭廳 固定窗戶

下層平台

消防控掣室

消防入水掣

消防制櫃

下層花園 煤氣熱水爐房

檢修口

廚房

洗手間

升降機

客/飯廳

管道槽

管道房

花槽

客廁

天台

天窗

排煙口

儲物室

工作平台

樓梯上部

工作間

主人浴室 主人睡房

開放式廚房

私人升降機大堂

梯屋之天台部分

下層露台頂部

下層工作平台頂部

垃圾及物料回收房

客廳

升降機大堂

消防喉轆

平台

花園

混凝土回填


室外管道房

低壓電力房

上層之建築物 電線管井

- 部分單位之假天花及/或假陣內裝置有冷氣及/或其他機電 設備。
- 樓面平面圖上所顯示的形象裝置符號,例如浴缸、淋浴間、洗 滌盆、坐廁、洗滌盆櫃等乃擇自最新的經批准的建築圖則,只 作一般性標誌。

THE LAGUNA TOWER 1 第一座







FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A is 3.500m, 3.550m and 3.850m; Unit B is 3.500m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F: Unit A and Unit B are 150 mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位為3.500米、3.550米及 3.850米; B單位為3.500米及3.850米。
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度:A單位及B單位 為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

平面圖所列之數字為以毫米標示之建築結構尺寸。

THE LAGUNA TOWER 1 第一座







FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F Unit A and Unit B are 3.150m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F Unit A and Unit B are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與 上一層石屎地面之高度距離): A單位及B單位為3.150米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位均為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

平面圖所列之數字為以毫米標示之建築結構尺寸。

THE LAGUNA TOWER 1 第一座







FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: Unit A and Unit B are 3.150m; Unit C, Unit D and Unit E are 3.150m and 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F: Unit A and Unit B are 150 mm and 200mm; Unit C, Unit D and Unit E are 150 mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位為3.150米; C單位、D單位及E單位為3.150米及為3.500米。
- 2. 二樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 為150毫米及200毫米; C單位、D單位及E單位為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

平面圖所列之數字為以毫米標示之建築結構尺寸。

THE LAGUNA TOWER 1 滿庭 第一座



3/F, 5/F - 12/F and 15/F - 19/F 三樓, 五樓至十二樓及十五樓至十九樓



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F, 5/F 12/F and 15/F 18/F: Unit A, Unit B, Unit C, Unit D and Unit E are 3.150m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 19/F: Unit A is 3.150m and 3.500m; Unit B is 3.200m, 3.500m, 3.550m and 3.850m; Unit C, Unit D and Unit E are 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 3/F, 5/F 12/F, 15/F 18/F and 19/F: Unit A and Unit B are 150mm and 200mm; Unit C, Unit D and Unit E are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 三樓、五樓至十二樓及十五樓至十八樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位、B單位、C單位、D單位及E單位為3.150米。十九樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.150米及3.500米;B單位為3.200米、3.500米、3.550米及3.850米;C單位、D單位及E單位為3.500米。
- 2. 三樓、五樓至十二樓、十五樓至十八樓及十九樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位均為150毫米及200毫米; C單位、D單位及E單位為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

平面圖所列之數字為以毫米標示之建築結構尺寸。

THE LAGUNA TOWER 1 第一座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 20/F Unit A, Unit C, Unit D and Unit E are 3.500m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 20/F Unit A, Unit C, Unit D and Unit E are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二十樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位、C單位、D單位及E單 位為3.500米及3.850米。
- 2. 二十樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位、C單位、D單位及E單位為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 1 第一座







- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 2 滿庭 第二座



G/F 地下





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A is 3.150m, 3.200m, 3.500m and 3.850m; Unit B is 3.150m, 3.200m, 3.210m, 3.500m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.150米、3.200米、3.500米及3.850米; B單位為3.150米、3.200米、3.210米、3.500米及3.850米。
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 2 滿庭 第二座







- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F: Unit A is 3.150m; Unit B is 3.150m and 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F: Unit A and Unit B are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.150米; B單位為3.150 米及3.500米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 均為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 2 滿庭 第二座








- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: Unit A is 3.150m; Unit B is 2.800m and 3.150m; Unit C, Unit D and Unit E are 3.150m and 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F: Unit A, Unit B, Unit D and Unit E are 150mm and 200mm; Unit C is 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.150米; B單位為2.800米及3.150米; C單位、D單位及E單位為3.150米及3.500米。
- 2. 二樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位、B單位、D單位及E單位為150毫米及200毫米;C單位為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:



Part Plan at 19/F 十九樓局部平面圖

三樓, 五樓至十二樓及十五樓至十九樓





- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F, 5/F 12/F and 15/F 18/F: Unit A, Unit B, Unit C, Unit D and Unit E are 3.150m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 19/F: Unit A is 3.150m, 3.200m, 3.500m and 3.850m; Unit B is 3.200m, 3.500m, 3.550m and 3.850m; Unit C, Unit D and Unit E are 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 3/F, 5/F 12/F and 15/F 18/F: Unit A, Unit B, Unit D and Unit E are 150mm and 200mm; Unit C is 150mm. The thickness of floor slabs (excluding plaster) of each residential property on 19/F: Unit A, Unit B, Unit D and Unit E are 150mm and 200mm; Unit C is 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 三樓、五樓至十二樓及十五樓至十八樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位、B單位、C單位、D單位及E單位為3.150米。十九樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.150米、3.200米、3.500米及3.850米;B單位為3.200米、3.500米、3.550米及3.850米;C單位、D單位及E單位為3.500米。
- 2. 三樓、五樓至十二樓及十五樓至十八樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位、B單位、D單位及E單位為150毫米及200毫米; C單位為150毫米。十九樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位、B單位、D單位及E單位為150毫米及200毫米; C單位為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 2 滿庭 第二座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 20/F: Unit A, Unit C, Unit D and Unit E are 3.500m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 20/F: Unit A, Unit C, Unit D and Unit E are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二十樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位、C單位、D單位及E單 位為3.500米及3.850米。
- 2. 二十樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位、C單位、D單位及E單位為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNATOWER 2滿庭第二座







- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 3 第三座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A is 3.200m and 3.500m; Unit B is 3.150m, 3.200m and 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.200米及3.500米; B單位為3.150米、3.200米及3.500米。
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 3 第三座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F Unit A and Unit B are 3.150m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F Unit A and Unit B are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與 上一層石屎地面之高度距離): A單位及B單位為3.150米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位均為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 3 第三座







- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: Unit A and Unit B are 3.150m; Unit C, Unit D and Unit E are 3.150m and 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F: Unit A, Unit B and Unit C are 150mm and 200mm; Unit D and Unit E are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位為3.150米; C單位、D單位及E單位為3.150米、3.500米。
- 2. 二樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位、B單位及C單位為150毫米及200毫米; D單位及E單位為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 3 第三座



3/F, 5/F - 12/F and 15/F - 19/F 三樓, 五樓至十二樓及十五樓至十九樓





- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F, 5/F 12/F and 15/F 18/F: Unit A, Unit B, Unit C, Unit D and Unit E are 3.150m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 19/F: Unit A is 3.150m, 3.200m and 3.500m; Unit B is 3.150m, 3.200m, 3.500m and 3.850m; Unit C is 3.500m, 3.800m and 3.850m; Unit D is 3.150m, 3.500m and 3.850m; Unit E is 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 3/F, 5/F 12/F and 15/F 18/F: Unit A, Unit B and Unit C are 150mm and 200mm; Unit D and Unit E are 150mm. The thickness of floor slabs (excluding plaster) of each residential property on 19/F: Unit A, Unit B, Unit C are 150mm and 200mm; Unit D and Unit E are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 三樓、五樓至十二樓及十五樓至十八樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位、B單位、C單位、D單位及E單位為3.150米。十九樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.150米、3.200米及3.500米;B單位為3.150米、3.200米及3.500米;D單位為3.150米、3.500米及3.850米;E單位為3.500米。
- 2. 三樓、五樓至十二樓及十五樓至十八樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位、B單位及C單位為150毫米及200毫米; D單位及E單位為150毫米。十九樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位、B單位、C單位為150毫米及200毫米; D單位及E單位為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 3 第三座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 20/F: Unit A is 3.500m, 3.850m and 3.950m; Unit C is 3.500m and 3.850m; Unit E is 3.500m, 3.800m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 20/F: Unit A is 150mm and 200mm; Unit C is 150mm and 175mm; Unit E is 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二十樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.500米、3.850米及3.950米; C單位為3.500米及3.850米; E單位為3.500米、3.800米及3.850米。
- 2. 二十樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位為150毫米及200毫米;C單位為150毫米及175毫米;E單位為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 3 第三座



ROOF 天台





- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNATOWER 5滿庭第五座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A is 3.150m, 3.200m, 3.500m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F: Unit A is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.150米、3.200米、3.500米及3.850米。
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度: A單位為150毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNATOWER 5滿庭第五座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F: Unit A is 3.150m; Unit B and Unit C are 2.800m and 3.150m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F: Unit A is 150mm. Unit B and Unit C are 150mm and 175mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.150米; B單位及C單位均為2.800米及3.150米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位為150毫米; B單位及C單位均為150毫米及175毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 5 滿庭 第五座



2/F 二樓





- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: Unit A, Unit B and Unit C are 3.150m; Unit D, Unit E, Unit F, Unit G, Unit H and Unit J are 3.150m and 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F: Unit A, Unit H and Unit J are 150mm; Unit B, Unit C, Unit D, Unit E, Unit F and Unit G are 150mm and 175mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位、B單位及C單位為3.150米; D單位、E單位、F單位、G單位、H單位及J單位為3.150米及3.500米。
- 2. 二樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位、H單位及J單位為150毫米; B單位、C單位、D單位、E單位、F單位及G單位150毫米及175毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 5 滿庭 第五座



3/F, 5/F - 12/F and 15/F - 19/F 三樓, 五樓至十二樓及十五樓至十九樓





- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F, 5/F 12/F and 15/F 18/F: Unit A is 2.800m, 3.150m and 3.200m; Unit B and Unit C are 3.150m and 3.500m; Unit D is 3.000m, 3.150m and 3.500m; Unit E, Unit F and Unit H are 3.150m, 3.200m and 3.500m; Unit G is 2.850m, 3.150m, 3.200m and 3.800m; Unit J is 3.150m and 3.200m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 19/F: Unit A, Unit D and Unit F are 3.150m, 3.200m, 3.500m and 3.850m; Unit B and Unit E are 3.150m, 3.500m and 3.850m; Unit C is 3.500m and 3.850m; Unit G, Unit H and Unit J are 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 3/F, 5/F 12/F and 15/F 18/F: Unit A and Unit D are 150mm; Unit B, Unit C, Unit E, Unit F, Unit G, Unit H and Unit J are 150mm and 175mm. The thickness of floor slabs (excluding plaster) of each residential property on 19/F: Unit A and Unit D are 150mm; Unit B, Unit C, Unit E, Unit F, Unit G, Unit H and Unit J are 150mm and 175mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 三樓、五樓至十二樓及十五樓至十八樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為2.800米、3.150米及3.200米;B單位及C單位均為3.150米及3.500米;D單位為3.000米、3.150米及3.500米;E單位、F單位及H單位為3.150米、3.200米及3.500米;G單位為2.850米、3.150米、3.200米及3.800米;J單位為3.150米及3.200米。十九樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位、D單位及F單位為3.150米、3.200米、3.500米及3.850米;B單位及E單位為3.150米、3.500米及3.850米;C單位為3.500米及3.850米;G單位、H單位及I單位為3.500米。
- 2. 三樓、五樓至十二樓及十五樓至十八樓每個住宅物業的樓板 (不包括灰泥)的厚度: A單位及D單位為150毫米; B單位、C單位、E單位、F單位、G單位、H單位及J單位為150毫米及175毫米。十九樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及 D單位為150毫米; B單位、C單位、E單位、F單位、G單位、H單位及J單位為150毫米及175毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 5 滿庭 第五座



20/F 二十樓





- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 20/F: Unit A, Unit D, Unit G, Unit H and Unit J are 3.500m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 20/F: Unit A, Unit D, Unit G, Unit H and Unit J are 150mm and 175mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二十樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位、D單位、G單位、H單 位及J單位為3.500米及3.850米。
- 2. 二十樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位、D單位、G單位、H單位及J單位為150毫米及175毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 5 滿庭 第五座







- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 6 第六座







- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A is 3.150m, 3.200m, 3.500m and 3.850m; Unit D is 3.150m and 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F: Unit A is 150mm, 175mm and 200mm; Unit D is 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.150米、3.200米、3.500米及3.850米; D單位為3.150米及3.500米。
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度: A單位為150毫米、175毫米及200毫米; D單位為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 6 第六座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F: Unit A and Unit D are 2.800m and 3.150m; Unit B and Unit C are 2.800m, 3.150m and 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F: Unit A and Unit D are 150mm and 175mm; Unit B and Unit C are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及D單位均為2.800米及3.150米; B單位及C單位均為2.800米、3.150米及3.500米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及D單位 均為150毫米及175毫米; B單位及C單位均為150毫米及200毫 米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 6 第六座



2/F 二樓





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: Unit A and Unit B are 3.150m; Unit C and Unit D are 2.800m and 3.150m; Unit E, Unit F, Unit G, Unit H and Unit J are 3.150m and 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F: Unit A, Unit D, Unit E, Unit F, Unit G, Unit H and Unit J are 150mm; Unit B and Unit C are 150mm and 175mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為3.150米; C單位及D單位均為2.800米及3.150米; E單位、F單位、G單位、H單位及J單位為3.150米及3.500米。
- 2. 二樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位、D單位、E單位、F單位、G單位、H單位及J單位為150毫米;B單位及C單位均為150毫米及175毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 6 第六座



3/F, 5/F - 12/F and 15/F - 19/F 三樓, 五樓至十二樓及十五樓至十九樓





- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F, 5/F 12/F and 15/F 18/F: Unit A, Unit B, Unit C, Unit D, Unit E, Unit F, Unit G, Unit H and Unit J are 3.150m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 19/F: Unit A and Unit D are 3.150m, 3.200m, 3.500m, 3.550m and 3.850m; Unit B and Unit C are 3.500m and 3.850m; Unit E, Unit F, Unit G, Unit H and Unit J are 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 3/F, 5/F 12/F and 15/F 18/F: Unit A, Unit D, Unit F and Unit J are 150mm; Unit B and Unit C are 150mm and 175mm; Unit E, Unit G and Unit H are 150mm and 200mm. The thickness of floor slabs (excluding plaster) of each residential property on 19/F: Unit A, Unit D, Unit F and Unit J are 150mm, Unit B and Unit C are 150mm and 175mm; Unit E, Unit G and Unit H are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 三樓、五樓至十二樓及十五樓至十八樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位、B單位、C單位、D單位、E單位、F單位、G單位、H單位及J單位為3.150米。十九樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及D單位為3.150米、3.200米、3.500米、3.550米及3.850米;B單位及C單位為3.500米及3.850米;E單位、F單位、G單位、H單位及J單位為3.500米。
- 2. 三樓、五樓至十二樓及十五樓至十八樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位、D單位、F單位及J單位為150毫米;B單位及C單位均為150毫米及175毫米;E單位、G單位及H單位為150毫米及200毫米。十九樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位、D單位、F單位及J單位為150毫米;B單位及C單位均為150毫米175毫米;E單位、G單位及H單位為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 6 第六座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 20/F: Unit A, Unit E, Unit F, Unit G, Unit H and Unit J are 3.500m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 20/F: Unit A, Unit G and Unit H are 150mm, 175mm and 200mm; Unit E, Unit F and Unit J are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二十樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位、E單位、F單位、G單 位、H單位及J單位均為3.500米及3.850米。
- 2. 二十樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位、G單位及H單位為150毫米、175毫米及200毫米;E單位、F單位及J單位為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 6 第六座



ROOF 天台





- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 7 滿庭 第七座



Scale 0 M/米 7.5 M/米 比例



發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A is 3.100m, 3.150m, 3.200m, 3.500m and 3.550m; Unit B is 3.150m and 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F: Unit A and Unit B are 150mm and 175mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.100米、3.150米、3.200米、3.500米及3.550米; B單位為 3.150米及 3.500米。
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 為150毫米及175毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 7 滿庭 第七座





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F: Unit A is 3.150m; Unit B is 2.800m, 3.150m, 3.200m and 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F: Unit A and Unit B are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.150米; B單位為2.800米、3.150米、3.200米及3.500米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 均為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 7 滿庭 第七座



2/F 二樓





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: Unit A and Unit B are 3.150m; Unit C, Unit D and Unit E are 3.150m and 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F: Unit A and Unit B are 150mm and 200mm; Unit C and Unit E are 150mm; Unit D is150mm and 175mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與 上一層石屎地面之高度距離): A單位及B單位為3.150米; C單位、D單位及E單位為3.150米及3.500米。
- 2. 二樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位及B單位 均為150毫米及200毫米;C單位及E單位為150毫米;D單位為 150毫米及175毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 7 滿庭 第七座



3/F, 5/F - 12/F 三樓, 五樓至十二樓





- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F, 5/F 11/F: Unit A, Unit B, Unit C, Unit D and Unit E are 3.150m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 12/F: Unit A is 3.200m, 3.500m and 3.850m; Unit B is 3.150m, 3.200m, 3.500m, 3.550m and 3.850m; Unit C is 3.500m; Unit D and Unit E are 3.150m, 3.500m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 3/F, 5/F 11/F: Unit A and Unit B are 150mm and 200mm; Unit C and E are 150mm; Unit D is 150mm and 175mm. The thickness of floor slabs (excluding plaster) of each residential property on 12/F: Unit A and Unit B are 150mm and 200mm; Unit C and Unit E are 150mm; Unit D is 150mm and 175mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 三樓、五樓至十一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位、B單位、C單位、D單位及E單位為3.150米。十二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.200米、3.500米及3.850米;B單位為3.150米、3.200米、3.500米及3.850米;C單位為3.500米; D單位及E單位為3.150米、3.500米及3.850米。
- 2. 三樓、五樓至十一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位均為150毫米及200毫米; C單位及E單位為150毫米; D單位為150毫米及175毫米。十二樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位為150毫米及200毫米; C單位及E單位為150毫米; D單位為150毫米及175毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 7 第七座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 15/F: Unit A, Unit C and Unit D are 3.500m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 15/F: Unit A, Unit C and Unit D are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 十五樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位、C單位及D單位為3.500米及3.850米。
- 2. 十五樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位、C單位及D單位為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 7 滿庭 第七座



Scale 0 M/米 7.5 M/米 比例 7.5 M/米



- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 8 滿庭 第八座



Scale 0 M/米 7.5 M/米 >

發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A and Unit B are 3.150m, 3.200m, 3.325m, 3.500m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為3.150米、3.200米、3.325米、3.500米及3.850米。
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 8 滿庭 第八座





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F: Unit A and Unit B are 3.150m; Unit C is 2.800m and 3.150m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F: Unit A and Unit C are 150mm; Unit B is 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為3.150米; C單位為2.800米及3.150米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及C單位 為150毫米; B單位為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 8 滿庭 第八座



Scale 0 M/米 7.5 M/米 >

發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: Unit A and Unit C are 3.150m; Unit B is 2.800m, 3.150m and 3.500m; Unit D, Unit E, Unit F and Unit G are 3.150m and 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F: Unit A, Unit C, Unit D, Unit E, Unit F and Unit G are 150mm, Unit B: 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及C單位均為3.150米; B單位為2.800米、3.150米及3.500米; D單位、E單位、F單位及G單位為3.150米及3.500米。
- 2. 二樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位、C單位、D單位、E單位、F單位及G單位為150毫米;B單位為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 8 滿庭 第八座



PART PLAN AT 12/F 十二樓局部平面圖



3/F, 5/F - 12/F 三樓, 五樓至十二樓



- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F, 5/F 11/F: Unit A, Unit B, Unit C, Unit D, Unit E, Unit F and Unit G are 3.150m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 12/F: Unit A is 3.150m, 3.200m, 3.500m, 3.550m and 3.850m; Unit B and Unit E are 3.150m, 3.500m and 3.850m; Unit C and Unit G are 3.150m, 3.200m, 3.500m and 3.850m; Unit D is 3.500m; Unit F is 3.500m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 3/F, 5/F 11/F: Unit A, Unit C, Unit D and Unit G are 150mm; Unit B, Unit E and Unit F are 150mm and 200mm. The thickness of floor slabs (excluding plaster) of each residential property on 12/F: Unit A, Unit C, Unit D and Unit G are 150mm; Unit B, Unit E and Unit F are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 三樓、五樓至十一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位、B單位、C單位、D單位、E單位、F單位及G單位為3.150米。十二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.150米、3.200米、3.500米及3.850米;C單位及G單位為3.150米、3.200米、3.500米及3.850米;C單位及G單位為3.150米、3.200米、3.500米及3.850米;P單位為3.500米;F單位為3.500米及3.850米。
- 2. 三樓、五樓至十一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位、C單位、D單位及G單位為150毫米; B單位、E單位及F 單位為150毫米及200毫米。十二樓每個住宅物業的樓板(不包括 灰泥)的厚度: A單位、C單位、D單位及G單位為150毫米; B單位、E單位及F單位為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 8 滿庭 第八座



Scale 0 M/米 7.5 M/米 >

發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 15/F: Unit A, Unit D and Unit E are 3.500m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 15/F: Unit A, Unit D and Unit E are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 十五樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位、D單位及E單位為3.500米及3.850米。
- 2. 十五樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位、D單位及E單位為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 8 滿庭 第八座



Scale 0 M/米 比例 7.5 M/米

- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 9 滿庭 第九座



Scale 0 M/米 7.5 M/米 比例 ______



發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A is 3.100m, 3.150m, 3.200m, 3.500m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F: Unit A is 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.100米、3.150米、3.200米、3.500米及3.850米。
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度: A單位為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 9 滿庭 第九座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F: Unit A and Unit C are 2.800m and 3.150m; Unit B is 3.150m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F: Unit A is 150mm; Unit B and Unit C are 150mm and 175mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位及C單位均為2.800米及 3.150米; B單位為3.150米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位為150毫米; B單位及C單位為150毫米及175毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 9 滿庭 第九座



2/F 二樓





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: Unit A, Unit B and Unit C are 3.150m; Unit D, Unit E, Unit F, Unit G and Unit H are 3.150m and 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F: Unit A and Unit H are 150mm; Unit B, Unit D, Unit E and Unit G are 150mm and 200mm; Unit C and Unit F are 150mm and 175mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter

- 1. 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位、B單位及C單位為3.150米;D單位、E單位、F單位、G單位及H單位為3.150米及3.500米。
- 2. 二樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及H單位 為150毫米; B單位、D單位、E單位及G單位為150毫米及200 毫米; C單位及F單位均為150毫米及175毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 9 滿庭 第九座



3/F, 5/F - 12/F 三樓, 五樓至十二樓



- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F, 5/F 11/F: Unit A, Unit B, Unit C, Unit D, Unit E, Unit F, Unit G and Unit H are 3.150m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 12/F: Unit A, Unit B, Unit C and Unit E are 3.150m, 3.500m and 3.850m; Unit D is 3.150m, 3.200m, 3.500m and 3.850m; Unit F, Unit G and Unit H are 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 3/F, 5/F 11/F: Unit A and Unit H are150mm; Unit B, Unit D, Unit E and Unit G are 150mm and 200mm; Unit C and Unit F are 150mm and 175mm. The thickness of floor slabs (excluding plaster) of each residential property on 12/F: Unit A and Unit H are 150mm; Unit B, Unit D, Unit E and Unit G are 150mm and 200mm; Unit C and Unit F are 150mm and 175mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 三樓、五樓至十一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位、B單位、C單位、D單位、E單位、F單位、G單位及H單位為3.150米。十二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位、B單位、C單位及E單位為3.150米、3.500米及3.850米;D單位為3.150米、3.200米、3.500米及3.850米;F單位、G單位及H單位為3.500米。
- 2. 三樓、五樓至十一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及H單位為150毫米; B單位、D單位、E單位及G單位為150毫米及200毫米; C單位及F單位為150毫米及175毫米。十二樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及H單位為150毫米; B單位、D單位、E單位及G單位為150毫米及200毫米; C單位及F單位為150毫米及175毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 9 滿庭 第九座



15/F 十五樓



發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 15/F: Unit A, Unit D, Unit F, Unit G and Unit H are 3.500m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 15/F: Unit A, Unit D and Unit G are 150mm and 200mm; Unit F is 150mm and 175mm; Unit H is 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 十五樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位、D單位、F單位、G單 位及H單位為3.500米及3.850米。
- 2. 十五樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位、D 單位及G單位為150毫米及200毫米;F單位為150毫米及175毫 米;H單位為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 9 滿庭 第九座



ROOF 天台





- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 10 第十座





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A is 3.150m, 3.200m and 3.500m; Unit B is 3.200m and 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F: Unit A and Unit B are 150mm and 175mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位為3.150米、3.200米及 3.500米; B單位為3.200米及3.500米。
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 均為150毫米及175毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 10 第十座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F: Unit A and Unit B are 3.150m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F: Unit A is 150mm and 175mm; Unit B is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與 上一層石屎地面之高度距離): A單位及B單位為3.150米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位為150毫米及175毫米; B單位為150毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 10 第十座



Scale 0 M/米 7.5 M/米 と例

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: Unit A and Unit B are 3.150m; Unit C, Unit D and Unit E are 3.150m and 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F: Unit A, Unit B and Unit C are 150mm and 200mm; Unit D and Unit E are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位為3.150米; C單位、D單位及E單位為為3.150米及3.500米。
- 2. 二樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位、B單位及C單位為150毫米及200毫米; D單位及E單位為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 10 第十座



PART PLAN AT 12/F 十二樓局部平面圖



3/F, 5/F - 12/F 三樓, 五樓至十二樓



- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F, 5/F 11/F: Unit A, Unit B, Unit C, Unit D and Unit E are 3.150m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 12/F: Unit A is 3.150m, 3.200m and 3.500m; Unit B is 3.150m, 3.200m, 3.500m and 3.850m; Unit C and Unit D are 3.150m, 3.500m and 3.850m; Unit E is 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 3/F, 5/F 11/F: Unit A, Unit B and Unit C are 150mm and 200mm; Unit D and Unit E are 150mm. The thickness of floor slabs (excluding plaster) of each residential property on 12/F: Unit A, Unit B and Unit C are 150mm and 200mm; Unit D and Unit E are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 三樓、五樓至十一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位、B單位、C單位、D單位及E單位為3.150米。十二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.150米、3.200米及3.500米;B單位為3.150米、3.200米及3.850米;C單位及D單位為3.150米、3.500米及3.850米;E單位為3.500米。
- 2. 三樓、五樓至十一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位、B單位及C單位為150毫米及200毫米; D單位及E單位為150毫米。十二樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位、B單位及C單位為150毫米及200毫米; D單位及E單位為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 10 第十座



Scale 0 M/米 7.5 M/米 >

發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 15/F: Unit A, Unit C and Unit E are 3.500m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 15/F: Unit A, Unit C and Unit E are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 十五樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位、C單位及E單位為3.500米及3.850米。
- 2. 十五樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位、C單位及E單位為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 10 第十座



Scale 0 M/米 比例 7.5 M/米

- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 11 第十一座



Scale 0 M/米 比例 7.5 M/米

發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A and B are 3.150m, 3.200m, 3.500m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F is Unit A and Unit B are 150mm and 175mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位為3.150米、3.200米、3.500米及3.850米。
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 為150毫米及175毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 11 第十一座





- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F: Unit A and Unit B are 3.150m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F: Unit A and Unit B are 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與 上一層石屎地面之高度距離): A單位及B單位為3.150米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 為150毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 11 第十一座





- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: Unit A and Unit B are 3.150m; Unit C, Unit D and Unit E are 3.150m and 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F: Unit A, Unit B, Unit D and Unit E are 150mm and 200mm; Unit C is 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位為3.150米; C單位、D單位及E單位為3.150米及3.500米。
- 2. 二樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位、B單位、D單位及E單位為150毫米及200毫米;C單位為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 11 第十一座



3/F, 5/F - 12/F 三樓, 五樓至十二樓





PART PLAN AT 12/F 十二樓局部平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F, 5/F 11/F: Unit A, Unit B, Unit C, Unit D and Unit E are 3.150m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 12/F: Unit A is 3.150m, 3.200m, 3.500m and 3.850m; Unit B is 3.200m, 3.500m and 3.850m; Unit C, Unit D and Unit E are 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 3/F, 5/F 11/F: Unit A, Unit B, Unit D and Unit E are 150mm and 200mm; Unit C is 150mm. The thickness of floor slabs (excluding plaster) of each residential property on 12/F: Unit A, Unit B, Unit D and Unit E are 150mm and 200mm; Unit C is 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 三樓、五樓至十一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位、B單位、C單位、D單位及E單位為3.150米。十二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.150米、3.200米、3.500米及3.850米;B單位為3.200米、3.500米及3.850米;C單位、D單位及E單位為3.500米。
- 2. 三樓、五樓至十一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位、B單位、D單位及E單位為150毫米及200毫米; C單位為150毫米。十二樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位、B單位、D單位及E單位為150毫米及200毫米; C單位為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 11 第十一座



Scale 0 M/米 比例 7.5 M/米

發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 15/F: Unit A, Unit C, Unit D and Unit E are 3.500m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 15/F: Unit A, Unit C, Unit D and Unit E are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 十五樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位、C單位、D單位及E單位為3.500米及3.850米。
- 2. 十五樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位、C單位、D單位及E單位為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 11 第十一座



Scale 0 M/米 比例 7.5 M/米

FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 12 滿庭 第十二座



Scale 0 M/米 7.5 M/米 Z 比例

發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A is 3.200m and 3.500m; Unit B is 3.150m, 3.200m, 3.500m and 3.700m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F is Unit A and Unit B are 150mm and 175mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.200米及3.500米; B單位為3.150米、3.200米、3.500米及3.700米。
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 均為150毫米及175毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNATOWER 12滿庭第十二座





FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F: Unit A is 3.150m; Unit B is 2.800m and 3.150m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F: Unit A and Unit B are 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.150米; B單位為2.800 米及3.150米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位均為150毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 12 滿庭 第十二座



Scale 0 M/米 7.5 M/米 Z 比例

發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: Unit A is 3.150m; Unit B is 2.800m, 3.150m and 3.500m; Unit C, Unit D and Unit E are 3.150m and 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F: Unit A and Unit B are 150mm and 200mm; Unit C, Unit D and Unit E are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.150米; B單位為2.800米、3.150米及3.500米;C單位、D單位及E單位為3.150米及3.500米。
- 2. 二樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 均為150毫米及200毫米; C單位、D單位及E單位為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 12 第十二座



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F, 5/F 11/F: Unit A, Unit B, Unit C, Unit D and Unit E are 3.150m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 12/F: Unit A is 3.150m and 3.500m; Unit B is 3.150m, 3.200m, 3.500m and 3.850m; Unit C, Unit D and Unit E are 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 3/F, 5/F 11/F: Unit A and Unit B are 150mm and 200mm; Unit C, Unit D and Unit E are 150mm. The thickness of floor slabs (excluding plaster) of each residential property on 12/F: Unit A and Unit B are 150mm and 200mm; Unit C, Unit D and Unit E are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 三樓、五樓至十一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位、B單位、C單位、D單位及E單位為3.150米。十二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.150米及3.500米;B單位為3.150米、3.200米、3.500米及3.850米;C單位、D單位及E單位為3.500米。
- 2. 三樓、五樓至十一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位均為150毫米及200毫米; C單位、D單位及E單位為150毫米。十二樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位均為150毫米及200毫米; C單位、D單位及E單位為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 12 滿庭 第十二座





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 15/F: Unit A, Unit C, Unit D and Unit E are 3.500m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 15/F: Unit A, Unit C, Unit D and Unit E are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 十五樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位、C單位、D單位及E單位為3.500米及3.850米。
- 2. 十五樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位、C單位、D單位及E單位為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE LAGUNA TOWER 12 滿庭 第十二座





FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT 發展項目的住宅物業的樓面平面圖

- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 1 **名庭** 第一座



G/F 地下





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A is 3.100m, 3.150m, 3.200m, 3.250m, 3.400m, 3.450m, 3.500m, 3.800m and 3.900m; Unit B is 3.100m, 3.150m, 3.200m, 3.250m, 3.400m, 3.450m, 3.500m and 3.800m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.100米、3.150米、3.200米、3.250米、3.400米、3.450米、3.500米、3.800米及3.900米; B單位為3.100米、3.150米、3.200米、3.250米、3.400米、3.450米、3.500米及3.800米。
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 1 名庭 第一座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F: Unit A is 3.150m, 3.400m, 3.500m, 3.600m, 3.800m and 3.900m; Unit B is 3.150m, 3.400m, 3.450m, 3.500m, 3.750m and 3.800m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位為3.150米、3.400米、 3.500米、3.600米、3.800米及3.900米; B單位為3.150米、3.400 米、3.450米、3.500米、3.750米及3.800米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 均為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 1 名庭 第一座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: Unit A is 2.900m, 3.250m and 3.600m; Unit B is 3.250m and 3.600m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為2.900米、3.250米及3.600米; B單位為3.250米及3.600米。
- 2. 二樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位均為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 1 **名庭** 第一座



3/F, 5/F and 6/F 三樓, 五樓及六樓





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F: Unit A and Unit B are 3.000m, 3.250m, 3.350m and 3.600m; The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 5/F: Unit A and Unit B are 3.250m; The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 6/F: Unit A and Unit B are 2.850m, 2.900m, 3.250m, 3.550m, 3.600m and 3.650m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 3/F, 5/F and 6/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 三樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為3.000米、3.250米、3.350米及3.600米;五樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為3.250米;六樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為2.850米、2.900米、3.250米、3.550米、3.600米及3.650米。
- 2. 三樓、五樓及六樓每個住宅物業的樓板(不包括灰泥)的厚度: A 單位及B單位均為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 1 **名庭** 第一座



7/F 七樓





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 7/F: Unit A are 3.500m, 3.750m, 3.800m, 3.850m and 3.900m; Unit B are 3.500m, 3.750m, 3.850m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 7/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 七樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.500米、3.750米、3.800米、3.850米及3.900米;B單位為3.500米、3.750米、3.850米及3.900米。
- 2. 七樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位及B單位 均為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACETOWER 1名庭第一座



INTERMEDIATE ROOF 天台中間層



ROOF 天台





發展項目的住宅物業的樓面平面圖

- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACETOWER 2名庭第二座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A and Unit B are 3.100m, 3.150m, 3.200m, 3.400m, 3.450m, 3.500m and 3.800m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為3.100米、3.150米、3.200米、3.400米、3.450米、3.500米及3.800米。
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 2 **名庭** 第二座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F: Unit A is 3.150m, 3.250m, 3.350m, 3.450m, 3.500m and 3.800m; Unit B is 3.150m, 3.200m, 3.350m, 3.450m, 3.500m, 3.550m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位為3.150米、3.250米、 3.350米、3.450米、3.500米及3.800米; B單位為3.150米、3.200 米、3.350米、3.450米、3.500、3.550米及3.900米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACETOWER 2名庭第二座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: is Unit A and Unit B are 2.900m, 3.250m and 3.600m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位及B單位均為2.900米、 3.250米及3.600米。
- 2. 二樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位均為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACETOWER 2名庭第二座



3/F, 5/F and 6/F 三樓, 五樓及六樓





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F: Unit A and Unit B are 3.000m, 3.250m, 3.350m and 3.600m; The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 5/F: Unit A and Unit B are 3.250m; The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 6/F: Unit A and Unit B are 2.850m, 2.900m, 3.200m, 3.250m, 3.550m, 3.600m and 3.650m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 3/F, 5/F and 6/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 三樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為3.000米、3.250米、3.350米及3.600米;五樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為3.250米;六樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為2.850米、2.900米、3.200米、3.250米、3.550米、3.600米及3.650米。
- 2. 三樓、五樓及六樓每個住宅物業的樓板(不包括灰泥)的厚度: A 單位及B單位均為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACETOWER 2名庭第二座



七樓





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 7/F: Unit A and Unit B are 3.500m, 3.750m, 3.850m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 7/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 七樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位及B單位均為3.500米、 3.750米、3.850米及3.900米。
- 2. 七樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位及B單位 為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACETOWER 2名庭第二座



INTERMEDIATE ROOF 天台中間層



ROOF 天台





發展項目的住宅物業的樓面平面圖

- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 3 **名庭** 第三座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A is 3.100m, 3.150m, 3.200m, 3.400m, 3.450m, 3.500m, 3.750m and 3.800m; Unit B is 3.100m, 3.150m, 3.200m, 3.250m, 3.400m, 3.450m, 3.500m, 3.750m and 3.800m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.100米、3.150米、3.200米、3.400米、3.450米、3.500米、3.750米及3.800米;B單位為3.100米、3.150米、3.200米、3.250米、3.400米、3.450米、3.500米、3.750米及3.800米。
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 3 第三座



Scale 0 M/米 7.5 M/米 比例



發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F: Unit A is 3.150m, 3.500m, 3.550m, 3.650m and 3.900m; Unit B is 3.150m, 3.500m, 3.550m, 3.750m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位為3.150米、3.500米、 3.550米、3.650米及3.900米; B單位為3.150米、3.500米、3.550 米、3.750米及3.900米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 3 **名庭** 第三座



2/F, 3/F, 5/F and 6/F 二樓, 三樓, 五樓及六樓





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: Unit A and Unit B are 3.000m, 3.250m, 3.600m and 3.750m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F and 5/F: Unit A and Unit B are 3.250m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 6/F: Unit A and Unit B are 2.800m, 2.900m, 3.200m, 3.250m, 3.550m, 3.600m and 3.650m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F, 3/F, 5/F and 6/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為3.000米、3.250米、3.600米及3.750米; 三樓及五樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為3.250米; 六樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為2.800米、2.900米、3.200米、3.250米、3.550米、3.600米及3.650米。
- 2. 二樓、三樓、五樓及六樓每個住宅物業的樓板(不包括灰泥)的 厚度:A單位及B單位均為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACETOWER 3名庭第三座



Scale 0 M/米 7.5 M/米 比例



發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 7/F: Unit A and Unit B are 3.500m, 3.750m, 3.850m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 7/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 七樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位及B單位均為3.500米、 3.750米、3.850米及3.900米。
- 2. 七樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位均為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 3 第三座



INTERMEDIATE ROOF 天台中間層



ROOF 天台





發展項目的住宅物業的樓面平面圖

- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACETOWER 5名庭第五座





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A is 3.100m, 3.150m, 3.200m, 3.350m, 3.400m, 3.450m, 3.500m, 3.750m and 3.800m; Unit B is 3.100m, 3.150m, 3.200m, 3.400m, 3.450m, 3.500m, 3.750m and 3.800m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.100米、3.150米、3.200米、3.350米、3.400米、3.450米、3.500米、3.750米及3.800米;B單位為3.100米、3.150米、3.200米、3.400米、3.450米、3.500米、3.750米及3.800米。
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度:A單位及B單位 均為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACETOWER 5名庭第五座



發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F: Unit A is 3.150m, 3.500m, 3.550m, 3.650m, 3.750m and 3.900m; Unit B is 3.150m, 3.450m, 3.500m, 3.550m, 3.650m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.150米、3.500米、3.550米、3.650米、3.750米及3.900米; B單位為3.150米、3.450米、3.500米、3.550米、3.650米及3.900米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 均為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACETOWER 5名庭第五座



2/F, 3/F, 5/F and 6/F 二樓, 三樓, 五樓及六樓

Scale 0 M/米 7.5 M/米 と例

發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: Unit A and Unit B are 2.900m, 3.000m, 3.250m, 3.350m and 3.600m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F and 5/F: Unit A and Unit B are 3.250m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 6/F: Unit A and Unit B are 2.850m, 2.900m, 3.200m, 3.250m, 3.550m, 3.600m and 3.650m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F, 3/F, 5/F and 6/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為2.900米、3.000米、3.250米、3.350米及3.600米;三樓及五樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為3.250米;六樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為2.850米、2.900米、3.200米、3.250米、3.550米、3.600米及3.650米。
- 2. 二樓、三樓、五樓及六樓每個住宅物業的樓板(不包括灰泥)的 厚度:A單位及B單位為150毫米。
- 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACETOWER 5名庭第五座



7/F 七樓



發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 7/F: Unit A and Unit B are 3.500m, 3.750m, 3.800m, 3.850m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 7/F: Unit A and Unit B are 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 七樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位及B單位均為3.500米、 3.750米、3.800米、3.850米及3.900米。
- 2. 七樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位均為150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACETOWER 5名庭第五座



INTERMEDIATE ROOF 天台中間層



ROOF 天台

> Scale 0 M/米 比例 7.5 M/米

發展項目的住宅物業的樓面平面圖

- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 6 第六座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A is 3.100m, 3.150m, 3.250m, 3.300m, 3.400m, 3.450m, 3.500m, 3.600m and 3.800m; Unit B is 3.100m, 3.150m, 3.250m, 3.400m, 3.450m, 3.500m, 3.600m and 3.800m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F: Unit A and Unit B are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.100米、3.150米、3.250米、3.300米、3.400米、3.450米、3.500米、3.600米及3.800米; B單位為3.100米、3.150米、3.250米、3.400米、3.450米、3.500米、3.600米及3.800米。
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位均為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 6 第六座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F: Unit A is 2.850m, 2.900m, 3.250m, 3.400m, 3.600m and 3.650m; Unit B is 2.850m, 2.900m, 3.250m, 3.400m and 3.600m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F: Unit A and Unit B are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位為2.850米、2.900米、 3.250米、3.400米、3.600米及3.650米; B單位為2.850米、2.900 米、3.250米、3.400米及3.600米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 均為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 6 第六座



2/F, 3/F, 5/F and 6/F 二樓, 三樓, 五樓及六樓





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: Unit A and Unit B are 2.900m, 3.000m, 3.250m, 3.350m and 3.600m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F and 5/F: Unit A and Unit B are 3.250m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 6/F: Unit A is 3.150m, 3.250m, 3.500m, 3.600m and 3.850m; Unit B is 3.150m, 3.250m, 3.500m, 3.600m, 3.650m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F, 3/F, 5/F and 6/F: Unit A and Unit B are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位為2.900米、3.000米、3.250米、3.350米及3.600米。三樓及五樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位為3.250米。六樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.150米、3.250米、3.500米、3.600米及3.850米;B單位為3.150米、3.250米、3.500米、3.600米、3.650米及3.850米。
- 2. 二樓、三樓、五樓及六樓每個住宅物業的樓板(不包括灰泥)的 厚度:A單位及B單位為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 6 **名庭** 第六座



7/F 七樓





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 7/F: Unit A is 3.500m, 3.750m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 7/F: Unit A is 150mm, 170mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 七樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位為3.500米、3.750米及 3.850米。
- 2. 七樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位為150毫米、170毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 6 第六座



INTERMEDIATE ROOF 天台中間層





發展項目的住宅物業的樓面平面圖

- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACETOWER 7名庭第七座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A and Unit B are 3.100m, 3.150m, 3.200m, 3.250m, 3.400m, 3.450m, 3.500m and 3.800m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F: Unit A and Unit B are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為3.100米、3.150米、3.200米、3.250米、3.400米、3.450米、3.500米及3.800米。
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 均為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACETOWER 7名庭第七座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F: Unit A is 2.900m, 2.950m, 3.250m, 3.400m and 3.600m; Unit B is 2.900m, 3.250m, 3.400m and 3.600m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F: Unit A and Unit B are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為2.900米、2.950米、3.250米、3.400米及3.600米; B單位為2.900米、3.250米、3.400米及3.600米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位 為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 7 **名庭** 第七座



2/F, 3/F, 5/F and 6/F 二樓, 三樓, 五樓及六樓





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: Unit A and Unit B are 2.900m, 3.000m, 3.250m, 3.350m and 3.600m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F and 5/F: Unit A and Unit B are 3.250m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 6/F: Unit A is 3.250m, 3.500m, 3.600m, 3.650m, 3.800m, 3.850m and 3.900m; Unit B is 3.250m, 3.500m, 3.550m, 3.600m and 3.800m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F, 3/F, 5/F and 6/F: Unit A and Unit B are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為2.900米、3.000米、3.250米、3.350米及3.600米。三樓及五樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位為3.250米。六樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.250米、3.500米、3.600米、3.650米、3.800、3.850米及3.900米;B單位為3.250米、3.500米、3.550米、3.600及3.800米。.
- 2. 二樓、三樓、五樓及六樓每個住宅物業的樓板(不包括灰泥)的 厚度:A單位及B單位為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 7 **名庭** 第七座



7/F 七樓





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 7/F: Unit A is 3.500m, 3.750m, 3.800m, 3.850m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 7/F: Unit A is 150mm, 170mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 七樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位為3.500米、3.750米、 3.800米、3.850米及3.900米。
- 2. 七樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位均為150 毫米、170毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 7 **名庭** 第七座



INTERMEDIATE ROOF 天台中間層



ROOF 天台





發展項目的住宅物業的樓面平面圖

- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 8 **名庭** 第八座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A is 3.100m, 3.150m, 3.200m, 3.250m, 3.400m, 3.450m, 3.500m and 3.800m; Unit B is 3.100m, 3.150m, 3.200m, 3.400m, 3.450m, 3.500m and 3.800m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F: Unit A and Unit B are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.100米、3.150米、3.200米、3.250米、3.400米、3.450米、3.500米及3.800米;B單位為3.100米、3.150米、3.200米、3.400米、3.450米、3.500米及3.800米。
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位均為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 8 **名庭** 第八座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F: Unit A and Unit B are 2.900m, 3.250m and 3.600m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F: Unit A and Unit B are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位及B單位均為2.900米、 3.250米及3.600米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位均為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 8 **名庭** 第八座



2/F, 3/F, 5/F and 6/F 二樓, 三樓, 五樓及六樓





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: Unit A and Unit B are 2.900m, 3.000m, 3.250m, 3.350m and 3.600m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F and 5/F: Unit A and Unit B are 3.250m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 6/F: Unit A is 3.250m, 3.500m, 3.550m, 3.600m, 3.650m, 3.800m and 3.900m; Unit B is 3.100m, 3.150m, 3.250m, 3.450m, 3.500m, 3.600m, 3.800m and 3.800m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F, 3/F and 5/F: Unit A and Unit B are 150mm and 200mm. The thickness of floor slabs (excluding plaster) of each residential property on 6/F: Unit A is 150mm and 200mm; Unit B is 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為2.900米、3.000米、3.250米、3.350米及3.600米。三樓及五樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位為3.250米。六樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.250米、3.500米、3.550米、3.600米、3.650米、3.800米及3.900米;B單位為3.100米、3.150米、3.250米、3.450米、3.500米、3.600米、3.800米及3.850米。.
- 2. 二樓、三樓及五樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位為150毫米及200毫米。六樓每個住宅物業的樓 板(不包括灰泥)的厚度: A單位為150毫米及200毫米; B單位為 150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 8 **名庭** 第八座



7/F 七樓





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 7/F: Unit A is 3.500m, 3.750m, 3.850m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 7/F: Unit A is 150mm, 170mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 七樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位為3.500米、3.750米、 3.850米及3.900米。
- 2. 七樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位為150毫米、170毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 8 **名庭** 第八座



INTERMEDIATE ROOF 天台中間層





發展項目的住宅物業的樓面平面圖

- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 9 **名庭** 第九座





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A is 3.100m, 3.150m, 3.200m, 3.250m, 3.400m, 3.450m, 3.500m and 3.800m; Unit B is 3.100m, 3.150m, 3.200m, 3.400m, 3.450m, 3.500m and 3.800m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F: Unit A and Unit B are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.100米、3.150米、3.200米、3.250米、3.400米、3.450米、3.500米及3.800米;B單位為3.100米、3.150米、3.200米、3.400米、3.450米、3.500米及3.800米。
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位均為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 9 **名庭** 第九座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F: Unit A and Unit B are 2.900m, 3.250m and 3.600m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F: Unit A and Unit B are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位均為2.900米、3.250米及3.600米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位均為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 9 **名庭** 第九座



2/F, 3/F, 5/F and 6/F 二樓, 三樓, 五樓及六樓



發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: Unit A and Unit B are 2.900m, 3.000m, 3.250m, 3.350m and 3.600m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F and 5/F: Unit A and Unit B are 3.250m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 6/F: Unit A is 3.250m, 3.500m, 3.550m, 3.600m, 3.650m, 3.800m and 3.900m; Unit B is 3.100m, 3.150m, 3.250m, 3.450m, 3.500m, 3.600m, 3.800m and 3.800m and 3.850m
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F, 3/F and 5/F: Unit A and Unit B are 150mm and 200mm. The thickness of floor slabs (excluding plaster) of each residential property on 6/F: Unit A is 150mm and 200mm; Unit B is 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位為2.900米、3.000米、3.250米、3.350米及3.600米。三樓及五樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位及B單位為3.250米。六樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.250米、3.500米、3.600米、3.650米、3.800米及3.900米;B單位為3.100米、3.150米、3.250米、3.450米、3.500米、3.600米、3.600米、3.800米及3.850米。.
- 2. 二樓、三樓及五樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位為150毫米及200毫米。六樓每個住宅物業的樓 板(不包括灰泥)的厚度: A單位為150毫米及200毫米; B單位為 150毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 9 **名庭** 第九座



7/F 七樓





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 7/F: Unit A is 3.500m, 3.750m, 3.850m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 7/F: Unit A is 150mm, 170mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 七樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位為3.500米、3.750米、 3.850米及3.900米。
- 2. 七樓每個住宅物業的樓板(不包括灰泥)的厚度:A單位為150毫米、170毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 9 **名庭** 第九座



INTERMEDIATE ROOF 天台中間層



ROOF 天台





發展項目的住宅物業的樓面平面圖

- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 10 **名庭** 第十座





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on G/F: Unit A is 3.100m, 3.150m, 3.200m, 3.250m, 3.350m, 3.400m, 3.450m, 3.500m and 3.800m; Unit B is 3.100m, 3.150m, 3.200m, 3.250m, 3.400m, 3.450m and 3.500m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on G/F: Unit A and Unit B are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 地下每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離): A單位為3.100米、3.150米、3.200米、3.250米、3.350米、3.400米、3.450米、3.500米及3.800米; B單位為3.100米、3.150米、3.200米、3.250米、3.400米、3.450米及3.500米。.
- 2. 地下每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位均為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 10 **名庭** 第十座







發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 1/F: Unit A and Unit B are 2.900m, 3.250m, 3.50m, 3.600m and 3.650m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 1/F: Unit A and Unit B are 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 一樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位及B單位均為2.900米、 3.250米、3.350米、3.600米及3.650米。
- 2. 一樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及B單位均為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 10 **名庭** 第十座



2/F, 3/F, 5/F and 6/F 二樓, 三樓, 五樓及六樓





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 2/F: Unit A and Unit B are 2.900m, 3.000m, 3.250m, 3.350m and 3.600m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 3/F and 5/F: Unit A and Unit B are 3.250m. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 6/F: Unit A is 3.250m, 3.500m, 3.600m, 3.650m, 3.800m and 3.900m; Unit B is 3.100m, 3.150m, 3.250m, 3.500m, 3.500m, 3.550m, 3.600m, 3.800m and 3.850m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 2/F 5/F: Unit A and Unit B are 150mm and 200mm. The thickness of floor slabs (excluding plaster) of each residential property on 6/F: Unit A is 150mm and 200mm; Unit B is 150mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.

- 二樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離):A單位及B單位均為2.900米、3.000米、3.250米、3.350米及3.600米。三樓及五樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離):A單位及B單位為3.250米。六樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面與上一層石屎地面之高度距離):A單位為3.250米、3.500米、3.600米、3.650米、3.300米及3.900米;B單位為3.100米、3.150米、3.250米、3.500米、3.550米、3.600米、3.800米及3.850米。
- 2. 二樓至五樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位及 B單位均為150毫米及200毫米。六樓每個住宅物業的樓板(不 包括灰泥)的厚度: A單位為150毫米及200毫米; B單位為150 毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 10 **名庭** 第十座



7/F 七樓





發展項目的住宅物業的樓面平面圖

- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of each residential property on 7/F: Unit A is 3.500m, 3.750m, 3.850mm and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of each residential property on 7/F: Unit A is 150mm, 170mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 七樓每個住宅物業的層與層之間的高度(指樓層之石屎地台面 與上一層石屎地面之高度距離): A單位為3.500米、3.750米、 3.850米及3.900米。
- 2. 七樓每個住宅物業的樓板(不包括灰泥)的厚度: A單位為150毫米、170毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE TOWER 10 **名庭** 第十座



INTERMEDIATE ROOF 天台中間層



Scale 0 M/米 7.5 M/米 比例



FLOOR PLANS OF RESIDENTIAL PROPERTIES IN THE DEVELOPMENT

發展項目的住宅物業的樓面平面圖

- 1. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 2. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 2. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE HOUSE H1 H1號洋房 名庭



比例








- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on Basement is 4.200m and 4.650m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.800m and 4.200m.
- 2. The thickness of floor slabs (excluding plaster) of property on Basement is 150mm and 200mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石 屎地台面之高度距離):地庫為4.200米及4.650米;地下為3.800 米、3.900米及4.200米;一樓為3.800米及4.200米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:地庫為150毫米及200毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE HOUSE H2 **名庭** H2號洋房










- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on Basement is 4.200m and 4.650m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.800m and 4.200m.
- 2. The thickness of floor slabs (excluding plaster) of property on Basement is 150mm and 200mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石 屎地台面之高度距離):地庫為4.200米及4.650米;地下為3.800 米、3.900米及4.200米;一樓為3.800米及4.200米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:地庫為150毫米及200毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:

THE TERRACE HOUSE H3 **名庭** H3號洋房



252





天台

Scale 0 M/米 7.5 M/米 比例 ______



- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on Basement is 4.200m and 4.650m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.800m and 4.200m.
- 2. The thickness of floor slabs (excluding plaster) of property on Basement is 150mm and 200mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:


The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石 屎地台面之高度距離):地庫為4.200米及4.650米;地下為3.800 米、3.900米及4.200米;一樓為3.800米及4.200米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:地庫為150毫米及200毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE TERRACE HOUSE H5 **名庭** H5號洋房










- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on Basement is 3.850m, 4.200m and 4.650m; G/F is 3.800m, 3.850m, 3.900m, 4.200m and 4.550m; 1/F is 3.800m and 4.200m.
- 2. The thickness of floor slabs (excluding plaster) of property on Basement is 150mm and 200mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石 屎地台面之高度距離):地庫為3.850米、4.200米及4.650米;地 下為3.800米、3.850米、3.900米、4.200米及4.550米;一樓為 3.800米及4.200米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:地庫為150毫米及200毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:


THE TERRACEHOUSE H6名庭H6號洋房



7.5 M/米

Scale 0 M/米

比例









- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on Basement is 4.200m and 4.650m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.800m and 4.200m.
- 2. The thickness of floor slabs (excluding plaster) of property on Basement is 150mm and 200mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石 屎地台面之高度距離):地庫為4.200米及4.650米;地下為3.800 米、3.900米及4.200米;一樓為3.800米及4.200米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:地庫為150毫米及200毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:










- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on Basement is 4.200m and 4.650m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.800m and 4.200m.
- 2. The thickness of floor slabs (excluding plaster) of property on Basement is 150mm and 200mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


The dimensions in the floor plans are all structural dimensions in millimeter

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石 屎地台面之高度距離):地庫為4.200米及4.650米;地下為3.800 米、3.900米及4.200米;一樓為3.800米及4.200米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:地庫為150毫米及200毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:



發展項目的住宅物業的樓面平面圖








- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on Basement is 4.200m and 4.650m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.800m and 4.200m.
- 2. The thickness of floor slabs (excluding plaster) of property on Basement is 150mm and 200mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石 屎地台面之高度距離):地庫為4.200米及4.650米;地下為3.800 米、3.900米及4.200米;一樓為3.800米及4.200米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:地庫為150毫米及200毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:











- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on Basement is 4.200m and 4.650m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.800m and 4.200m.
- 2. The thickness of floor slabs (excluding plaster) of property on Basement is 150mm and 200mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石 屎地台面之高度距離):地庫為4.200米及4.650米;地下為3.800 米、3.900米及4.200米;一樓為3.800米及4.200米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:地庫為150毫米及200毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:







7.5 M/米 Scale 0 M/米 比例



- The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on Basement is 4.200m and 4.650m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.800m and 4.200m.
- The thickness of floor slabs (excluding plaster) of property on Basement is 150mm and 200mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:


The dimensions in the floor plans are all structural dimensions in


- 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石 屎地台面之高度距離):地庫為4.200米及4.650米;地下為3.800 米、3.900米及4.200米;一樓為3.800米及4.200米。
- 住宅物業的樓板(不包括灰泥)的厚度:地庫為150毫米及200毫 米;地下為150毫米、200毫米及250毫米;一樓為150毫米及 200毫米。
- 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:

THE HIGHLAND HOUSE H1 山庭 H1號洋房












- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG2/F is 5.000m; LG1/F is 3.900m, 4.200m, 4.350m and 4.600m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG2/F and LG1/F are 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石 屎地台面之高度距離):低層地下二樓為5.000米;低層地下一 樓為3.900米、4.200米、4.350米及4.600米;地下為3.800米、 3.900米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下二樓及低層地下一樓均為200毫米及250毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE HIGHLAND HOUSE H2 山庭 H2號洋房










- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG2/F is 5.000m and 5.800m; LG1/F is 3.900m, 4.200m, 4.350m and 5.000m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG2/F and LG1/F are 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

The dimensions in the floor plans are all structural dimensions in millimeter


- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下二樓為5.000米及5.800米;低層地下一樓為3.900米、4.200米、4.350米及5.000米;地下為3.800米、3.900米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下二樓及低層地下一樓均為200毫米及250毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:

THE HIGHLAND HOUSE H3 山庭 H3號洋房



發展項目的住宅物業的樓面平面圖







- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG2/F is 5.000m and 5.800m; LG1/F is 3.900m, 4.200m, 4.350m and 5.000m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.500m and 3.900m.
- The thickness of floor slabs (excluding plaster) of property on 2. LG2/F and LG1/F are 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層 石屎地台面之高度距離):低層地下二樓為5.000米及5.800米; 低層地下一樓為3.900米、4.200米、4.350米及5.000米;地下為 3.800米、3.900米及4.200米;一樓為3.500米及3.900米。
- 住宅物業的樓板(不包括灰泥)的厚度:低層地下二樓及低層地下 一樓均為200毫米及250毫米;地下為150毫米、200毫米及250毫 米;一樓為150毫米、175毫米及200毫米。
- 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:

THE HIGHLANDHOUSE H5山庭H5號洋房



發展項目的住宅物業的樓面平面圖









- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG2/F is 5.000m and 5.800m; LG1/F is 3.900m, 4.200m, 4.350m and 5.000m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.500m and 3.900m.
- The thickness of floor slabs (excluding plaster) of property on 2. LG2/F and LG1/F are 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:


The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層 石屎地台面之高度距離):低層地下二樓為5.000米及5.800米; 低層地下一樓為3.900米、4.200米、4.350米及5.000米;地下為 3.800米、3.900米及4.200米;一樓為3.500米及3.900米。
- 住宅物業的樓板(不包括灰泥)的厚度:低層地下二樓及低層地下 一樓均為200毫米及250毫米;地下為150毫米、200毫米及250毫 米;一樓為150毫米、175毫米及200毫米。
- 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE HIGHLAND HOUSE H6 山庭 H6號洋房










- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG2/F is 5.000m and 5.800m; LG1/F is 3.900m, 4.200m, 4.350m and 5.000m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG2/F and LG1/F are 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下二樓為5.000米及5.800米;低層地下一樓為3.900米、4.200米、4.350米及5.000米;地下為3.800米、3.900米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下二樓及低層地下一樓均為200毫米及250毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:

THE HIGHLANDHOUSE H7山庭H7號洋房












- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG2/F is 5.000m; LG1/F is 3.900m, 4.200m, 4.350m and 4.600m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG2/F and LG1/F are 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石 屎地台面之高度距離):低層地下二樓為5.000米;低層地下一 樓為3.900米、4.200米、4.350米及4.600米;地下為3.800米、 3.900米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下二樓及低層地下一樓均為200毫米及250毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米、175毫米及200毫米。
- 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:


THE HIGHLAND HOUSE H8 山庭 H8號洋房
















- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG2/F is 4.400m; LG1/F is 3.900m, 4.200m, 4.350m and 5.000m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG2/F and LG1/F are 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石 屎地台面之高度距離):低層地下二樓為4.400米;低層地下一 樓為3.900米、4.200米、4.350米及5.000米;地下為3.800米、 3.900米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下二樓及低層地下一樓均為200毫米及250毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:

THE HIGHLAND HOUSE H9 山庭 H9號洋房














- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG2/F is 4.400m; LG1/F is 3.900m, 4.200m, 4.350m and 5.000m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG2/F and LG1/F are 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石 屎地台面之高度距離):低層地下二樓為4.400米;低層地下一 樓為3.900米、4.200米、4.350米及5.000米;地下為3.800米、 3.900米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下二樓及低層地下一樓均為200毫米及250毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE HIGHLAND HOUSE H10 山庭 H10號洋房











- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG2/F is 3.400m; LG1/F is 3.900m, 4.200m, 4.350m and 5.000m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG2/F and LG1/F are 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石 屎地台面之高度距離):低層地下二樓為3.400米;低層地下一 樓為3.900米、4.200米、4.350米及5.000米;地下為3.800米、 3.900米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下二樓及低層地下一樓均為200毫米及250毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米、175毫米及200毫米。
- 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:


THE HIGHLAND HOUSE H11 山庭 H11號洋房





7.5 M/米

Scale 0 M/米

比例











- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG2/F is 3.400m; LG1/F is 3.900m, 4.200m, 4.350m and 5.000m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG2/F and LG1/F are 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石 屎地台面之高度距離):低層地下二樓為3.400米;低層地下一 樓為3.900米、4.200米、4.350米及5.000米;地下為3.800米、 3.900米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下二樓及低層地下一樓均為200毫米及250毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:


HOUSE H12 H12號洋房















- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG1/F is 3.900m, 4.200m, 4.350m and 5.000m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG1/F is 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下一樓為3.900米、4.200米、4.350米及5.000米;地下為3.800米、3.900米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米 及250毫米;地下為150毫米、200毫米及250毫米;一樓為150 毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:

HOUSE H15 H15號洋房













- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG1/F is 3.900m, 4.200m, 4.350m and 5.000m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG1/F is 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下一樓為3.900米、4.200米、4.350米及5.000米;地下為3.800米、3.900米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米 及250毫米;地下為150毫米、200毫米及250毫米;一樓為150 毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:

HOUSE H16 H16號洋房











- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG1/F is 3.900m, 4.200m, 4.350m and 5.000m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG1/F is 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下一樓為3.900米、4.200米、4.350米及5.000米;地下為3.800米、3.900米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米 及250毫米;地下為150毫米、200毫米及250毫米;一樓為150 毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

HOUSE H17 H17號洋房











- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG1/F is 3.900m, 4.200m, 4.350m and 5.000m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG1/F is 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下一樓為3.900米、4.200米、4.350米及5.000米;地下為3.800米、3.900米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米 及250毫米;地下為150毫米、200毫米及250毫米;一樓為150 毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:


THE HIGHLAND HOUSE H18 山庭 H18號洋房















- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG1/F is 3.850m, 3.900m, 4.200m and 4.350m; G/F is 3.800m and 4.200m; 1/F is 3.500m and 3.900m.
- The thickness of floor slabs (excluding plaster) of property on LG1/F is 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層 石屎地台面之高度距離):低層地下一樓為3.850米、3.900米、 4.200米及4.350米;地下為3.800米及4.200米;一樓為3.500米及 3.900米。
- 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米 及250毫米;地下為150毫米、200毫米及250毫米;一樓為150毫 米、175毫米及200毫米。
- 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:


HOUSE H19 H19號洋房











Scale 0 M/米 7.5 M/米 比例 ______



- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG1/F is 3.850m, 3.900m, 4.200m and 4.350m; G/F is 3.800m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG1/F is 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下一樓為3.850米、3.900米、4.200米及4.350米;地下為3.800米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米 及250毫米;地下為150毫米、200毫米及250毫米;一樓為150毫 米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:


THE HIGHLAND HOUSE H20 山庭 H20號洋房















- The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG1/F is 3.350m, 4.050m, 4.200m and 4.350m; G/F is 3.800m and 4.200m; 1/F is 3.500m and 3.900m.
- The thickness of floor slabs (excluding plaster) of property on LG1/F is 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:


The dimensions in the floor plans are all structural dimensions in millimeter.


- 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層 石屎地台面之高度距離):低層地下一樓為3.350米、4.050米、 4.200米及4.350米; 地下為3.800米及4.200米; 一樓為3.500米及 3.900米。
- 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米 及250毫米;地下為150毫米、200毫米及250毫米;一樓為150毫 米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE HIGHLAND HOUSE H21 山庭 H21號洋房











- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG1/F is 3.900m, 4.200m and 4.350m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.500m and 3.900m.
- The thickness of floor slabs (excluding plaster) of property on LG1/F is 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:


The dimensions in the floor plans are all structural dimensions in millimeter.


- 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層 石屎地台面之高度距離):低層地下一樓為3.900米、4.200米及 4.350米; 地下為3.800米、3.900米及4.200米; 一樓為3.500米及 3.900米。
- 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米 及250毫米;地下為150毫米、200毫米及250毫米;一樓為150 毫米、175毫米及200毫米。
- 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註:

THE HIGHLAND HOUSE H22 山庭 H22號洋房











- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG1/F is 3.900m, 4.200m and 4.350m; G/F is 3.800m, 3.900m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG1/F and G/F are 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下一樓為3.900米、4.200米及4.350米;地下為3.800米、3.900米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓及地下均 為150毫米、200毫米及250毫米;一樓為150毫米、175毫米及 200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:


HOUSE H23 H23號洋房











7.5 M/米 Scale 0 M/米 比例



- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG 1/F is 3.250m, 3.500m and 4.050m; G/F is 3.400m, 3.800m and 4.200m; 1/F is 3.500m and 3.900m.
- The thickness of floor slabs (excluding plaster) of property on LG 1/F and G/F are 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層 石屎地台面之高度距離):低層地下一樓為3.250米、3.500米及 4.050米; 地下為3.400米、3.800米及4.200米; 一樓為3.500米及 3.900米。
- 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓及地下均 為150毫米、200毫米及250毫米;一樓為150毫米、175毫米及 200毫米。
- 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:


THE HIGHLAND HOUSE H25 山庭 H25號洋房











Scale 0 M/米 7.5 M/米 比例



- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG 1/F is 3.250m, 3.500m and 4.050m; G/F is 3.400m, 3.800m and 4.200m; 1/F is 3.500m and 3.900m.
- The thickness of floor slabs (excluding plaster) of property on LG 1/F and G/F are 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層 石屎地台面之高度距離):低層地下一樓為3.250米、3.500米及 4.050米; 地下為3.400米、3.800米及4.200米; 一樓為3.500米及 3.900米。
- 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓及地下均 為150毫米、200毫米及250毫米;一樓為150毫米、175毫米及 200毫米。
- 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:


HOUSE H26 H26號洋房














Scale 0 M/米 7.5 M/米 比例



- The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG 1/F is 3.250m, 3.500m and 4.050m; G/F is 3.400m, 3.800m and 4.200m; 1/F is 3.500m and 3.900m.
- The thickness of floor slabs (excluding plaster) of property on LG 1/F and G/F are 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層 石屎地台面之高度距離):低層地下一樓為3.250米、3.500米及 4.050米;地下為3.400米、3.800米及4.200米;一樓為3.500米及 3.900米。
- 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓及地下均 為150毫米、200毫米及250毫米;一樓為150毫米、175毫米及 200毫米。
- 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:


HOUSE H27 H27號洋房














Scale 0 M/米 7.5 M/米 比例 ______



- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG 1/F is 3.250m, 3.500m and 4.050m; G/F is 3.400m, 3.800m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG 1/F is 200mm, 250mm and 300mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下一樓為3.250米、3.500米及4.050米;地下為3.400米、3.800米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米、250毫米及300毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:


HOUSE H28 H28號洋房


















- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG 1/F is 3.250m, 3.500m and 4.050m; G/F is 3.400m, 3.800m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG 1/F is 200mm and 300mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下一樓為3.250米、3.500米及4.050米;地下為3.400米、3.800米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米 及300毫米;地下為150毫米、200毫米及250毫米;一樓為150 毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:

HOUSE H29 H29號洋房













- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG 1/F is 3.250m, 3.500m and 4.050m; G/F is 3.400m, 3.800m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG 1/F is 200mm, 250mm and 300mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下一樓為3.250米、3.500米及4.050米;地下為3.400米、3.800米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米、250毫米及300毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:


HOUSE H30 H30號洋房













- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG 1/F is 3.250m, 3.500m and 4.050m; G/F is 3.400m, 3.800m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG 1/F is 200mm, 250mm and 300mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下一樓為3.250米、3.500米及4.050米;地下為3.400米、3.800米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米、250毫米及300毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:


HOUSE H31 H31號洋房











Scale 0 M/米 7.5 M/米 比例 ______



- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG 1/F is 3.250m, 3.500m and 4.050m; G/F is 3.400m, 3.800m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG 1/F is 200mm, 250mm and 300mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下一樓為3.250米、3.500米及4.050米;地下為3.400米、3.800米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米、250毫米及300毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:

HOUSE H32 H32號洋房









ROOF 天台





- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG 1/F is 3.250m, 3.500m and 4.050m; G/F is 3.400m, 3.800m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG 1/F is 200mm, 250mm and 300mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下一樓為3.250米、3.500米及4.050米;地下為3.400米、3.800米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米、250毫米及300毫米;地下為150毫米、200毫米及250毫米;一樓為150毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:


HOUSE H33 H33號洋房














Scale 0 M/米 7.5 M/米 比例 ______



- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG 1/F is 3.250m, 3.500m and 4.050m; G/F is 3.400m, 3.800m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG 1/F is 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.


- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下一樓為3.250米、3.500米及4.050米;地下為3.400米、3.800米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米 及250毫米;地下為150毫米、200毫米及250毫米;一樓為150 毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:


HOUSE H35 H35號洋房













- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG 1/F is 3.250m, 3.500m and 4.050m; G/F is 3.400m, 3.800m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG 1/F is 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下一樓為3.250米、3.500米及4.050米;地下為3.400米、3.800米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米 及250毫米;地下為150毫米、200毫米及250毫米;一樓為150 毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:


HOUSE H36 H36號洋房
















- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG 1/F is 3.250m, 3.500m and 4.050m; G/F is 3.400m, 3.800m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG 1/F is 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下一樓為3.250米、3.500米及4.050米;地下為3.400米、3.800米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米 及250毫米;地下為150毫米、200毫米及250毫米;一樓為150 毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:


HOUSE H37 H37號洋房
















- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG 1/F is 3.250m, 3.500m and 4.050m; G/F is 3.400m, 3.800m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG 1/F is 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下一樓為3.250米、3.500米及4.050米;地下為3.400米、3.800米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米 及250毫米;地下為150毫米、200毫米及250毫米;一樓為150 毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:


HOUSE H38 H38號洋房
















- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG 1/F is 3.250m, 3.500m and 4.050m; G/F is 3.400m, 3.800m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG 1/F is 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.


Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下一樓為3.250米、3.500米及4.050米;地下為3.400米、3.800米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米 及250毫米;地下為150毫米、200毫米及250毫米;一樓為150 毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。


附註:

THE HIGHLAND HOUSE H39 山庭 H39號洋房













- 1. The floor-to-floor height (refers to the height between the top surface of structural slab of a floor and the top surface of the structural slab of its immediate upper floor) of residential property on LG 1/F is 3.250m, 3.500m and 4.050m; G/F is 3.400m, 3.800m and 4.200m; 1/F is 3.500m and 3.900m.
- 2. The thickness of floor slabs (excluding plaster) of property on LG 1/F is 200mm and 250mm; G/F is 150mm, 200mm and 250mm; 1/F is 150mm, 175mm and 200mm.
- 3. The internal ceiling height within residential properties may vary due to structural, architectural and/or decoration design variations.
- 4. The internal areas of the residential properties on the upper floors will generally be slightly larger than those on the lower floors because of the reducing thickness of the structural walls on the upper floors.

Notes:

The dimensions in the floor plans are all structural dimensions in millimeter.

- 1. 住宅物業的層與層之間的高度(指該樓層之石屎地台面與上層石屎地台面之高度距離):低層地下一樓為3.250米、3.500米及4.050米;地下為3.400米、3.800米及4.200米;一樓為3.500米及3.900米。
- 2. 住宅物業的樓板(不包括灰泥)的厚度:低層地下一樓為200毫米 及250毫米;地下為150毫米、200毫米及250毫米;一樓為150 毫米、175毫米及200毫米。
- 3. 住宅物業之天花高度將會因應其結構、建築及/或裝修設計上 的差異而有所不同。
- 4. 因住宅物業的較高樓層的結構牆的厚度遞減,較高樓層的內部 面積,一般比較低層的內部面積稍大。

附註: